

INDEX TO VOLUME 73

AUTHOR INDEX*

A

ABRAMS, JEROME (*see* PRINCE AND ABRAMS), 890
ADAMS, JOHN A., AND SCHREIER, PHIL C., Abdominal pregnancy subsequent to total hysterectomy, 680
AGÜERO, OSCAR, Artificial hibernation ("lytic cocktail") in the treatment of eclampsia, 777
ALVAREZ, H. (*see* CALDEYRO-BARCIA, POSE, AND ALVAREZ), 1238
ANKER, RUDOLPH M. (*see* BRUNS, TAYLOR, ANKER, AND DROSE), 579
ATLEE, H. B., AND TUPPER, CARL, The vaginal-abdominal approach in radical pelvic surgery, 141

B

BAKER, WILLIAM S., and HAWKS, BRYON L., The prognostic significance of glandular involvement in cold knife conization biopsies in carcinoma in situ of the uterine cervix, 1266
BARR, DAVID (*see* RUSS AND BARR), 1161 (Correspondence)
BARROWS, DAVID NYE, Results after construction of artificial vaginas, 609
BAZIN, FRANCIS, AND COMPTON, BEVERLEY C., Intramural pregnancy, 1141
BEAN, JOHN L. (*see* HENDERSON AND BEAN), 657
BEATTIE, J. F., AND HENRY, J. L., Sickle-cell crisis in pregnancy near term, 904
BELL, WARREN N. (*see* KENNAN AND BELL), 57
BENARON, HARRY B. W. (*see* TUCKER AND BENARON), 1314
BERKHEISER, S. W., Hilus-cell tumor of ovary, 429
—, Malignant thecoma, 434
BERNSTINE, J., BERNARD, MEYER, ARTHUR E., AND BERNSTINE, RICHARD L., Maternal blood and cerebrospinal fluid estimation following the administration of chloral hydrate during the puerperium, 801
BERNSTINE, RICHARD L. (*see* BERNSTINE, MEYER, AND BERNSTINE), 801
BISKIND, JOHN L., AND BISKIND, LEONARD H., Premature rupture of the membranes, 750
BISKIND, LEONARD H. (*see* BISKIND AND BISKIND), 750
BITTRICH, NORBERT M. (*see* HENDERSON, MOSHER, AND BITTRICH), 664
BLACK, MARION E. (*see* DUGAN AND BLACK), 89
BLUM, MARVIN, Anticoagulant treatment of phlebothrombosis during pregnancy, 440
BOBROW, M. LEO, AND FRIEDMAN, STANLEY, A case of a pelvic tumor produced by a urinary tract anomaly, 1355
—, AND —, Hydatidiform mole in a 12-year-old girl, 448
BONSNES, ROY W. (*see* BOYNTON AND BONSNES), 149

— (*see* DOUGLAS, KRAMER AND BONSNES), 1206
BOERNSTEIN, FREDERICK P., Unusual findings in hernial sacs, 1109
BOYES, D. A. (*see* DANIEL AND BOYES), 395
BOYNTON, PERRY S., AND BONSNES, ROY W., Intestinal obstruction following pelvic surgery for benign disease, 149
BRADBURY, JAMES T. (*see* KEETTEL, BRADBURY, AND STODDARD), 954
BRANDT, MURRAY L. (*see* MARCUS, CIBLEY, AND BRANDT), 1337
BRILL, H. M., RAPOPORT, L., AND KAPLAN, S., Intrapartum rupture of bilateral ovarian endometrial cysts, 200
BRILL, ROBERT (*see* CHACHUTOW AND BRILL), 1358
BROWN, ARTHUR M. (*see* SCOTT, BROWN, AND REAGAN), 349
BROWN, L. B., LATOUR, J. P. A., AND DODDS, J. R., Multiple primary malignant tumors involving the female genital tract, 127
BRUNS, PAUL D., TAYLOR E., STEWART, ANKER, RUDOLPH M., AND DROSE, VERA E., Uterine contractility, circulation, and urinary steroids in premature delivery, 579
BULFIN, MATTHEW J., AND LAWLER, PAUL E., Problems associated with toxemia in twin pregnancies, 37

C

CAGAN, R. N., AND WOLFF, HERBERT M., Masculinovoblastoma: an adrenal cortical type of tumor of the ovary, 885
CALDERWOOD, GEORGE C. (*see* NELSON, CALDERWOOD, AND COHEN), 1115
CALDEYRO-BARCIA, R., POSE, S. V., AND ALVAREZ, H., Uterine contractility in polyhydramnios and the effects of withdrawal of the excess of amniotic fluid, 1238
CALIGUIRI, JOSEPH V., Vaginal septum, a cause of dystocia, 1132
CANNELL, D. E., VAN WYCK, D. J., AND GILLIES, J. D. M., Hormone therapy and the Rh factor, 1187
CHACHUTOW, DIMITRY, AND BRILL, ROBERT, Lipomas of the uterus, 1358
CIBLEY, LEONARD J. (*see* MARCUS, CIBLEY, AND BRANDT), 1337
CIVIN, W. H. (*see* HUNTER, HENRY, AND CIVIN), 875
COHEN, MARTIN (*see* NELSON, CALDERWOOD, AND COHEN), 1115
COMPTON, BEVERLEY C. (*see* BAZIN AND COMPTON), 1141
CONANT, ROBERT F., WINCHESTER, LYNN W., AND SILVERMAN, FREDERICK, Prolapse of the cervix in pregnancy, 914
CONGER, GEORGE T., AND RANDALL, JOHN H., Precipitate labor, 1321
COOK, A. W. (*see* WALLACE AND COOK), 1333
COPELAND, WILLIAM E., NELSON, PHILIP K., and PAYNE, FRANKLIN L., Intrauterine radium for dysfunctional bleeding, 615

*January, pp. 1-232; February, pp. 233-464; March, pp. 465-696; April, pp. 697-930; May, pp. 931-1162; June, pp. 1163-1392.

—, VORYS, NICHOLS, AND ULLERY, JOHN C., ABO incompatibility in the etiology of hemolytic disease of the newborn, 1045
 CORNER, GEORGE W., JR., AND STRAN, HERBERT M., A fetal heart ratemeter, 190
 — (see STRAN AND CORNER), 196
 COSGROVE, ROBERT A., AND WEAVER, OWENS S., An analysis of 1,000 consecutive mid-forceps operations, 556
 CRAIG, IRWIN T., Monoamniotic twins with double survival, 202
 CRONE, RICHARD I. (see FADELL AND CRONE), 212

D

DAHLIN, DAVID C. (see FLOR, PRATT, AND DAHLIN), 1120
 DALGLEISH, DAWN (see DANIEL AND BOYES), 395
 DAMPEER, T. K. (see GARDNER, DAMPEER, AND DUKES), 1080
 DANIEL, EDWIN E., AND BOYES, D. A., with the technical assistance of MCCARTNEY, JANE, AND DALGLEISH, DAWN, The electrolytes of the human uterus and their possible relation to functional activity, 395
 DANZIGER, SARA (see GROSS AND DANZIGER), 94
 DEAN, ROBERT E. (see SHIELDS AND TAYLOR), 1011
 DECARLE, DONALD W., Pregnancy associated with severe angular deformities of the spine, 296
 DECKER, DAVID G., HUNT, ARTHUR B., FRICKE, ROBERT E., AND NELSON, GUNARD A., Carcinoma of the cervical stump, 974
 DESBORDES, LIONEL A. (see ROSS AND DESBORDES), 1134
 DIECKMANN, WILLIAM J., Blood tests to determine whether uterine cancer has been cured, 917 (Editorial)
 —, Routine laboratory work, 219 (Editorial)
 —, HARROD, JOHN, AND MONARDO, ALFRED, Treatment of pre-eclamptic edema with acetazolamide (Diamox), 789
 —, POTTER, EDITH L., AND MCCARTNEY, CHARLES P., Renal biopsies from patients with "toxemia of pregnancy," 1
 —, AND TAYLOR, HOWARD C., JR., Results of survey of subscriber opinion, 677 (Editorial)
 — (see KAHN, HANKE, DIECKMANN, AND POTTINGER), 853
 DILWORTH, E. E., AND WARD, JAMES V., Prolapse of the umbilical cord, 1088
 DOCKERTY, MALCOLM B. (see JACKSON AND DOCKERTY), 161
 — (see SYMONDS, DOCKERTY, AND PRATT), 1054
 DODDS, J. R. (see BROWN, LATOUR, AND DODDS), 127
 DOUGLAS, R. GORDON, KRAMER, ELMER E., AND BONSNES, ROY W., Oxytocin, newer knowledge and present clinical usage, 1206
 —, AND SWEENEY, WILLIAM J., Exenteration operations in the treatment of advanced pelvic cancer, 1169
 DREWES, EVERETT L., SOLOME, JACOB, AND PREACHER, CHARLES B., Pseudomucinous cystadenocarcinoma of the ovary in a 19-year-old patient, 1112
 DROSE, VERA E. (see BRUNS, TAYLOR, ANKER, AND DROSE), 579
 — (see SHIELDS AND TAYLOR), 1011
 DUCHAINE, P., Uterine hemorrhage and afibrinogenemia, 1195
 DUGAN, ROBERT J., AND BLACK, MARION E., Kyphoscoliosis and pregnancy, 89
 DUKES, CHARLES D. (see GARDNER, DAMPEER, AND DUKES), 1080

E

EZELL, HARRY E., AND HOLZAEPPFEL, JOHN H., The use of interstitial radioactive cobalt needles in the treatment of carcinoma of the cervix, 354

F

FADELL, EDWARD J., AND CRONE, RICHARD I., Cerebral hemorrhage as a manifestation of the sickle-cell phenomenon, 212
 FETTIG, LOUIS (see ZEIGERMAN, VALDES-DAPENA, AND FETTIG), 1286
 FINOLA, GEORGE C., QUITANGON, LEONARDO, AND PONTIUS, GUY V., Large ovarian cyst in a newborn infant, 690
 FLOR, FRANK S., PRATT, JOSEPH HYDE, AND DAHLIN, DAVID C., Lipolymph nodes: a report of three cases, 1120
 FOLGER, G. KEITH, Hysterectomy on gravid patients, 1035
 FRACHTMAN, KURT G., Transitional myogenic tumors and sarcoma of the broad ligament, 371
 FREDA, VINCENT J., WIENER, ALEXANDER S., AND GORDON, EVE B., An unsuspected source of A-B-O sensitization, 1148
 FRENCH, TRAVIS A., Postabortal sepsis due to *Clostridium welchii* simulating traumatic perforation of the uterus, 1094
 FREY, G. H., The familial occurrence of endometriosis, 418
 FRICKE, ROBERT E. (see DECKER, HUNT, FRICKE, AND NELSON), 974
 FRIEDMAN, EMANUEL A., Comparative clinical evaluation of postpartum oxytocics, 1306
 FRIEDMAN, STANLEY (see BOBROW AND FRIEDMAN), 448
 — (see BOBROW AND FRIEDMAN), 1355

G

GARDNER, GEORGE H., GREENE, R. R., AND PECKHAM, BEN, Tumors of the broad ligament, 536
 GARDNER, HERMAN L., DAMPEER, T. K., AND DUKES, CHARLES D., The prevalence of vaginitis, 1080
 GILLIES, J. D. M. (see CANNELL, VAN WYCK, AND GILLIES), 1187
 GILPATRICK, THOMAS S. (see MASTERS, MAZE, AND GILPATRICK), 1022
 GIORLANDO, STEPHEN W., AND MASCOLA, RICHARD F., The treatment of hyperemesis gravidarum with hypnotherapy, 444
 GLENDENING, MARY BETH (see PAGE, GLENDENING, MARGOLIS, AND HARPER), 589
 GOLDFINE, STANLEY, AND MAZZANTI, GAETANO A., Cervical pregnancy, 450
 GOLDMAN, JACK A. (see POSNER AND GOLDMAN), 1143
 GORDON, CHARLES A., The maternal and perinatal mortality of cesarean section, 65
 GORDON, EVE B. (see FREDA, WIENER, AND GORDON), 1148
 GRABER, EDWARD A., AND O'ROURKE, JAMES J., Rectal injuries during vaginal delivery, 301
 GRABER, VIRGIL R. (see WEIL AND GRABER), 754
 GRAFTON, H. F. P., Novocain as an abdominal relaxant, 1225
 GRAY, J. D. (see TUPPER, MOYA, STEWART, WEIL, AND GRAY), 313
 GREEN, CHARLES L., Identification of alpha-amylase as a secretion of the human Fallopian tube and "tubelike" epithelium of Müllerian and mesonephric duct origin, 402
 GREENE, EARL G. (see RUMBOLZ AND GREENE), 992
 GREENE, R. R. (see GARDNER, GREENE, AND PECKHAM), 536
 — (see RODDICK AND GREENE), 843
 GROSS, STANLEY J., AND DANZIGER, SARA, Histological techniques applied to the study of benign and malignant squamous epithelium of the cervix uteri, 94

H

HAHN, GEORGE A., An evaluation of super-voltage irradiation therapy in the treatment of pelvic malignancy, 626

HAMBLEN, E. C. (see QUINT, PARKER, AND HAMBLEN), 206

HANKE, M. E. (see KAHN, HANKE, DIECKMANN, AND POTTINGER), 853

HARPER, HAROLD A. (see PAGE, GLENDENING, MARGOLIS, AND HARPER), 589

HARROD, JOHN (see DIECKMANN, HARROD, AND MONARDO), 789

HAWKS, BYRON L. (see BAKER AND HAWKS), 1266

HAYASHI, T. T. Effect of Benemid on uric acid excretion in normal pregnancy and in pre-eclampsia, 17

—, Uric acid and endogenous creatinine clearances after normal and toxemic pregnancy, 23

— (see WILLSON, WILLIAMS, AND HAYASHI), 30

HEATH, LEONARD P. Delayed postpartum hemorrhage, 1071

HEINICKE, R. M. (see HUNTER, HENRY, AND HEINICKE), 867

HELLMAN, L. M., KOHL, S. G., AND SCHECHTER, H. R., Pitocin—1955, 507

HENDERSON, D. NELSON, AND BEAN, JOHN L. Results of treatment of primary ovarian malignancy, 657

HENDERSON, HAROLD, MOSHER, ROBERT, AND BITTRICH, NORBERT M. Oxygen studies of the cord blood of cesarean-born infants, 664

HENDRICK, JAMES W. (see SMITH, HENDRICK, AND MILLER), 784

HENDRICKS, CHARLES H. Studies on lactic acid metabolism in pregnancy and labor, 492

HENRY, GEORGE W. (see HUNTER, HENRY, AND CIVIN), 875

— (see HUNTER, HENRY, AND HEINICKE), 867

HENRY, J. L. (see BEATTIE AND HENRY), 904

HENRY, J. S. Biological aspects of spontaneous abortion, 1229

HILLER, ROBERT I. A study of porphyrins in relation to cancer, 377

HODGKINSON, C. PAUL. Urethrovesicopubic relationships in the female. 2. Effects of coitus, parturition, menopause, and uterine suspension, 518

—, AND KROLL, JOHN. Inguinal swelling during pregnancy, 966

HOLZAEFFEL, JOHN H. (see EZELL AND HOLZAEFFEL), 354

HUBER, CARL P., MELIN, JOHN R., AND VELLIOS, FRANK. Changes in chorionic tissue of aborted pregnancy, 569

HUNT, ARTHUR B. (see DECKER, HUNT, FRICKE, AND NELSON), 974

HUNTER, ROBERT G., HENRY, GEORGE W., AND CIVIN, W. H. The action of papain and bromelain on the uterus. Part III. The physiologically incompetent internal cervical os, 875

—, —, AND HEINICKE, R. M. The action of papain and bromelain on the uterus. Part I. Mucolytic properties of papain and bromelain, effect on cervical mucus, 837. Part II. The use of papain and bromelain in primary dysmenorrhea, 872

HUNTER, ROBERT M., AND SHOEMAKER, WILLIAM C. Rupture of the spleen in pregnancy, 1326

HURTIG, ABRAHAM. Cortisone and specific antibiotics for resistant pelvic infections, 1183

I

IGARASHI, MASAO, AND MATSUMOTO, SEIICHI. Induction of human ovulation by individualized gonadotrophin therapy in two phases, 1294

ISAACS, JOHN H., AND TOPEK, NATHAN H. Carcinoma of the vulva, 1277

ISRAEL, S. LEON. Visions and revisions, 861

— (see ROITMAN AND ISRAEL), 881

J

JACKSON, RICHARD L., AND DOCKERTY, MALCOLM E. The Stein-Leventhal syndrome: analysis of 43 cases with special reference to association with endometrial carcinoma, 161

JACOBS, WARREN M. (see WALL AND JACOBS), 895

K

KAHN, H., HANKE, M. E., DIECKMANN, WILLIAM J., AND POTTINGER, R. E. Serum albumin fractions of different solubility and their relation to cancer, 853

KANTER, A. E., AND ZUMMO, B. P. Surgical bleeding tendencies of patients with chronic pelvic inflammatory disease, 1100

KAPLAN, S. (see BRILL, RAPORT, AND KAPLAN), 200

KEETTEL, WILLIAM C., BRADBURY, JAMES T., AND STODDARD, FREDERICK J. Observations on the polycystic ovary syndrome, 954

— (see MUFAARIJ AND KEETTEL), 899

KELLY, JOHN V. (see WINSTON AND KELLY), 693 (Correspondence)

KENNAN, ALFRED L., AND BELL, WARREN N. Blood coagulation during normal pregnancy, labor, and the puerperium, 57

KETCHUM, JESSE, AND MOTYLOFF, LEON. Chorioangiopagus parasiticus (Schwalbe), 1349

KIMBALL, LLOYD O., AND REEVES, WILLIAM. Endometriosis resulting from the transplant of endometrium at the time of accidental perforation of the uterus during curettage, 422

KNOBLICH, ROMAN (see RAWSON AND KNOBLICH), 120

KOHL, SCHUYLER G. (see HELLMAN, KOHL, AND SCHECHTER), 507

— (see O'CONNOR, SHIELDS, KOHL, AND SUSSMAN), 768

KRAMER, ELMER E. (see DOUGLAS, KRAMER, AND BONSNES), 1206

KROLL, JOHN (see HODGKINSON AND KROLL), 966

KRUPP, PHILIP J. Maternal mortality at Charity Hospital, 248

L

LAMM, HEINRICH. Removal of a needle fragment lost in the perineum during episiotomy repair, 217

LATOUE, J. P. A. (see BROWN, LATOUR, AND DODDS), 127

LAWLER, PAUL E. (see BULFIN AND LAWLER), 37

LEVINE, WILLIAM (see WESELEY, NEUSTADTER, AND LEVINE), 683

LITTELL, ARTHUR S. (see WEIR, WEIR, AND LITTELL), 412

LOGAN, BARBARA J. Occurrence of a hydatidiform mole in twin pregnancy, 911

M

MCCARTNEY, CHARLES P. (see DIECKMANN, POTTER, AND MCCARTNEY), 1

MCCARTNEY, JANE (see DANIEL AND BOYES), 395

MACKENZIE, LOCKE L. (see SAGI AND MACKENZIE), 437

MALINCONICO, LAWRENCE L. Vaginal smears in pregnancy, 75

MARCUS, M., BENNETT, CIBBLEY, LEONARD J., AND BRANDT, MURRAY L. A case of carcinoma of the rectum complicating pregnancy and a review of the literature, 1337

MARGOLIS, ALAN (see PAGE, GLENDENING, MARGOLIS, AND HARPER), 589

MARTINI, ARTHUR P. Early primary abdominal (peritoneal) pregnancy, 1139

MASCOLA, RICHARD F. (see GIORLANDO AND MASCOLA), 444
 MASSEY, FRANKLIN C., Atrial paroxysmal tachycardia in pregnancy, 894
 MASTERS, WILLIAM H., MAZE, LAURENCE E., AND GILPATRICK, THOMAS S., Etiological approach to habitual abortion, 1022
 MASTERTON, JOHN G., An experimental study of ureteral injuries in radical pelvic surgery, 359
 MATSUMOTO, SEIICHI (see IGARASHI AND MATSUMOTO), 1294
 MAZE, LAURENCE E. (see MASTERS, MAZE, AND GILPATRICK), 1022
 MAZZANTI, GAETANO A. (see GOLDFINE AND MAZZANTI), 450
 MELIN, JOHN R. (see HUBER, MELIN, AND VELLIOS), 569
 MEYER, ARTHUR E. (see BERNSTINE, MEYER, AND BERNSTINE), 801
 MILLER, HENRY K. (see SMITH, HENDRICK, AND MILLER), 784
 MILLES, GEORGE (see PERL AND MILLES), 1125
 MITCHELL, ROSS, The measuring line. The decline in maternal mortality in Canada and reasons therefor, 1201
 MOLINA, FRANCISCO A. (see ROOS, ROTER, AND MOLINA), 1342
 MONARDO, ALFRED (see DIECKMANN, HARROD, AND MONARDO), 789
 MONTGOMERY, GEORGE, JR. (see PHILLIPS, MONTGOMERY, AND TAYLOR), 43
 MOSHER, ROBERT (see HENDERSON, MOSHER, AND BITTEICH), 664
 MOTYLOFF, LEON (see KETCHUM AND MOTYLOFF), 1349
 — (see NUSSBAUM AND MOTYLOFF), 215
 MOYA, FRANK (see TUPPER, MOYA, STEWART, WEIL, AND GRAY), 313
 MUFARRIJ, IBRAHIM K., AND KEETTEL, WILLIAM C., Prolapse of the uterus associated with pregnancy, 899
 MULLA, N., Vaginal delivery in a paraplegic patient, 1346
 MULLER, PAUL F., Group premarital counseling, 941

N

NEISLER, JAMES W. H. (see SHIELDS AND TAYLOR), 1011
 NELSON, GUNARD A. (see DECKER, HUNT, FRICKE, AND NELSON), 974
 NELSON, H., BRISTOL, CALDERWOOD, GEORGE C., AND COHEN, MARTIN, Malignant arhenoblastoma of ovary, 1115
 NELSON, PHILIP K. (see COPELAND, NELSON, AND PAYNE), 615
 NEUSTADTER, MURRAY I. (see WESELEY, NEUSTADTER, AND LEVINE), 683
 NOLAN, RAYMOND P., Primary nonpigmented sarcoma of the vulva with report of a case complicating pregnancy, 134
 NUSSBAUM, WILLIAM, AND MOTYLOFF, LEON, Endometriosis of the vulva during pregnancy, 215

O

O'CONNOR, WALTER J., SHIELDS, GEORGE, KOHL, SCHULYER, AND SUSSMAN, MARVIN, The occurrence of anemia of the newborn in association with the appearance of fetal hemoglobin in the maternal circulation, 768
 O'Rourke, JAMES J. (see GRABER AND O'Rourke), 301
 OSTRY, E. I., An investigation of tubal implantation for cornual block, 409

P

PAGE, ERNEST W., GLENDENING, MARY BETH, MARGOLIS, ALAN, AND HARPER, HAROLD A., Transfer of D- and L-histidine across the human placenta, 589

PARKER, ROY T. (see QUINT, PARKER, AND HAMBLIN), 206
 PAYNE, FRANKLIN L. (see COPELAND, NELSON, AND PAYNE), 615
 PEARSON, HAROLD E., Failure of silver nitrate prophylaxis for gonococcal ophthalmia neonatorum, 805
 PECKHAM, BEN (see GARDNER, GREENE, AND PECKHAM), 536
 PEDOWITZ, PAUL, AND PERELL, ARTHUR, Aneurysms complicated by pregnancy. Part I. Aneurysms of the aorta and its major branches, 720
 —, and —, Aneurysms complicated by pregnancy. Part II. Aneurysms of the cerebral vessels, 736
 PERELL, ARTHUR (see PEDOWITZ AND PERELL), 720
 — (see PEDOWITZ AND PERELL), 736
 PERL, JOHN I., AND MILLES, GEORGE, Hydrocolpos after total hysterectomy, 1125
 PHILLIPS, LOUISE LANG, MONTGOMERY, GEORGE, JR., AND TAYLOR, HOWARD C., JR., The role of the fibrinolytic enzyme system in obstetrical afibrinogenemia, 43
 PILDES, ROBERT B., AND WHEELER, J. D., Atypical cellular changes in endometrial glands associated with ectopic pregnancy, 79
 PONTIUS, GUY V. (see FINOLA, QUITANGON, AND PONTIUS), 690
 POSE, S. V. (see CALDERO-BARCA, POSE, AND ALVAREZ), 1238
 POSNER, A. CHARLES, AND GOLDMAN, JACK A., A case of osteogenesis imperfecta congenita diagnosed in utero, 1143
 POSNER, LEWIS B., The "membrane mitt" a gauze mitt for removal of retained secundines, 453
 POTESTIO, FRANK S. (see SHIELDS AND TAYLOR), 1011
 POTTER, EDITH L. (see DIECKMANN, POTTER, AND McCARTNEY), 1
 POTTINGER, R. E. (see KAHN, HANKE, DIECKMANN, AND POTTINGER), 853
 PRATT, JOSEPH HYDE (see FLOR, PRATT, AND DAHLIN), 1120
 — (see SYMONDS, DOCKERTY, AND PRATT), 1054
 PREACHER, CHARLES B. (see DREWES, SOLOME, AND PREACHER), 1112
 PRIMROSE, THOMAS, AND TREMBLAY, PIERRE, Studies on the suppression of lactation by hormones, 1218
 PRINCE, LEON N., AND ABRAMS, JEROME, Endometriosis of the perineum, 890

Q

QUINT, BOYD C., PARKER, ROY T., AND HAMBLIN, E. C., Uterine hypertrophy in the presence of androgen-producing adrenal tumor, 206
 QUITANGON, LEONARDO (see FINOLA, QUITANGON, AND PONTIUS), 690

R

RANDALL, CLYDE L., Ovarian function and woman after the menopause, 1000
 —, The placenta is only out of sight, 931
 RANDALL, JOHN H. (see CONGER AND RANDALL), 1321
 RANDALL, LAWRENCE M., Our objectives (presidential address, American Association of Obstetricians and Gynecologists), 465
 RAPOPORT, L. (see BRILL, RAPOPORT, AND KAPLAN), 200
 RAWSON, ARNOLD J., AND KNOBLICH, ROMAN, A clinicopathologic study of 56 cases showing atypical epithelial changes of the cervix uteri, 120
 REAGAN, JAMES W. (see SCOTT, BROWN, AND REAGAN), 349
 REEVES, WILLIAM (see KIMBALL AND REEVES), 422
 REID, DUNCAN E., Shock in obstetrics, 697

RIBA, LEANDER W., Resistant trichomoniasis in the female, 174

RODDICK, J. W., AND GREENE, R. R., Relation of ovarian stromal hyperplasia to endometrial carcinoma, 843

ROESS, THOMAS J. (see TYLER AND ROESS), 837

ROITMAN, HARRY B., AND ISRAEL, S. LEON, Congenital atresia of the lower third of the vagina with concealed hematocolpos, 881

ROOS, FREDERICK J., ROTER, ALEXANDER M., AND MOLINA, FRANCISCO A., A case of triplets including anomalous twins and a fetus compressus, 1342

ROSS, JULIAN WALDO, AND DESBORDES, LIONEL A., Case report of coexistent bilateral tubal pregnancy, 1134

ROTER, ALEXANDER M. (see ROOS, ROTER, AND MOLINA), 1342

RUMBOLZ, WILLIAM L., AND GREENE, EARL G., Observations on metachromatic granules in human endometrium, 992

RUSS, ELLA M., AND BARR, DAVID, Follow-up report on patient with hyperlipemia of pregnancy, 1161 (Correspondence)

S

SAGI, EUGENE S., AND MACKENZIE, LOCKE L., The use of acetone as a fixative in exfoliative cytological studies, 437

SCADRON, EUGENE NESTOR, Primary peritoneal pregnancy, 686

SCHACK, COLIN B. (see SMITH, STEPTO, SCHACK, AND SCHMITZ), 598

SCHECHTER, H. R. (see HELLMAN, KOHL, AND SCHECHTER), 507

SCHMITZ, HERBERT E. (see SMITH, STEPTO, SCHACK, AND SCHMITZ), 598

SCHREIER, PHIL C. (see ADAMS AND SCHREIER), 680

SCOTT, ROGER B., BROWN, ARTHUR M., AND REAGAN, JAMES W., Comparative results of the routine Papanicolaou and the Draghi tampon cytologic studies in atypical hyperplasia of the cervix and uterine cancer, 349

SHAH, PRABHAKER N., Human body hair—a quantitative study, 1255

SHER, ROBERT A., AND SOUTHERN, EDWARD M., An evaluation of contractile activity in the lower uterine segment in labor by external tokodynamometry, 822

SHIELDS, GEORGE (see O'CONNOR, SHIELDS, KOHL, AND SUSSMAN), 768

SHIELDS, LLOYD V., AND TAYLOR, E. STEWART (with the technical assistance of DROSE, VERA E., NEISLER, JAMES W. H., POTESIO, FRANK S., AND DEAN, ROBERT E.), Serial oxygen saturation studies of newborn infants following obstetrical complications, difficult deliveries, and cesarean section, 1011

SHOEMAKER, WILLIAM C. (see HUNTER AND SHOEMAKER), 1326

SILVERMAN, FREDERICK (see CONANT, WINCHESTER, AND SILVERMAN), 914

SIMARD, J. A. RENÉ, Considerations on obstetrics and obstetricians (presidential address, Society of Obstetricians and Gynaecologists of Canada), 1163

SIMPSON, WINEA J., A preliminary report on cigarette smoking and the incidence of prematurity, 808

SMITH, CHARLES J., STEPTO, ROBERT C., SCHACK, COLIN B., AND SCHMITZ, HERBERT E., The evaluation of the basal cell in the radiosensitivity studies of carcinoma of the cervix, 598

SMITH, EARL CONWAY, A procedure to correct persistent occiput posterior and transverse arrest positions and facilitate delivery of the fetal head using a single forceps application, 947

SMITH, ROBERT CRAFT, HENDRICK, JAMES W., AND MILLER, HENRY K., Mercurial diuretics in toxemia of pregnancy with sodium and potassium studies, 784

SOLOME, JACOB (see DREWES, SOLOME, AND PREACHER), 1112

SONG, Y. S., The significance of positive vaginal smears in extrauterine carcinomas, 341

SORTOR, R. F., Intravenous iron as an alternative to blood transfusion in late pregnancy, 338

SOUTHERN, EDWARD M., Fetal anoxia and its possible relation to changes in the prenatal fetal electrocardiogram, 233

— (see SHER AND SOUTHERN), 822

STEPHENS, LA RELE J., Prevention of premature delivery, 694 (Correspondence)

STEPTO, ROBERT C. (see SMITH, STEPTO, SCHACK, AND SCHMITZ), 598

STEWART, LUCILLE C. (see TUPPER, MOYA, STEWART, WEIL, AND GRAY), 313

— (see WEIL AND STEWART), 322

STODDARD, FREDERICK J. (see KEETTEL, BRADBURY, AND STODDARD), 954

STONE, EUGENE T. R., The accuracy of gynecological and obstetrical pathology reports in a small hospital, 1299

STRAN, HERBERT M., AND CORNER, GEORGE W. JR., a recording sphygmomanometer, 196

— (see CORNER AND STRAN), 190

STUDDIFORD, WILLIAM E., Vaginal lesions of adenomatous origin, 61

STURGIS, SOMERS H., The challenge of comprehensive gynecology, 180

SUDA, MINORU, A new external tocograph, 328

SULLIVAN, CHARLES LEAVITT, Postmortem cesarean section, 693 (Correspondence)

SUSSMAN, MARVIN (see O'CONNOR, SHIELDS, KOHL, AND SUSSMAN), 768

SWANN, R. O., Interlocking and collision in multiple pregnancies, 907

SWEENEY, WILLIAM J. (see DOUGLAS AND SWEENEY), 1169

SYMONDS, RICHARD E., DOCKERTY, MALCOLM B., AND PRATT, JOSEPH HYDE, Sarcoma and sarcoma-like proliferations of the endometrial stroma. III. Stromal hyperplasia and stromatosis (stromal endometriosis), 1054

T

TAYLOR, E. STEWART (see BRUNS, TAYLOR, ANKER, AND DROSE), 579

— (see SHIELDS AND TAYLOR), 1011

TAYLOR, HOWARD C., JR., AND DIECKMANN, WILLIAM J., Results of survey of subscriber opinion, 677 (Editorial)

— (see PHILLIPS, MONTGOMERY, AND TAYLOR), 43

TOPEK, NATHAN H. (see ISAACS AND TOPEK), 1277

TREMBLAY, PIERRE (see PRIMROSE AND TREMBLAY), 1218

TUCKER, BEATRICE E., AND BENARON, HARRY B. W., The postmature baby, 1314

TULLER, MARTIN A., Amniotic fluid embolism, afibrinogenemia, and disseminated fibrin thrombosis, 273

TUPPER, CARL, MOYA, FRANK, STEWART, LUCILLE C., WEIL, R. J., AND GRAY, J. D., The problem of spontaneous abortion. I. A combined approach, 313

— (see ATLEE AND TUPPER), 141

TYLER, CARL W., AND ROESS, THOMAS J., C-reactive protein in pregnancy, 837

U

ULLERY, JOHN C. (see COPELAND, VORYS, AND ULLERY), 1045

V

VALDES-DAPENA, ANTONIO M. (see ZEIGERMAN, VALDES-DAPENA, AND FETTIG), 1286

VALENTI, CARLO, Limb edema of pelvic etiology in women, 380

VAN WYCK, D. J. (see CANNELL, VAN WYCK, AND GILLIES), 1187
 VELLIOS, FRANK (see HUBER, MELIN, AND VELLIOS), 569
 VORYS, NICHOLS (see COPELAND, VORYS, AND ULLERY), 1045

W

WADDINGTON, HARRY K., Fetal salvage in abruptio placentae, 816
 WALL, JOHN A., AND JACOBS, WARREN M., Dysfunctional uterine bleeding in the premenopausal and menopausal years, 985
 WALLACE, J. THORNTON, AND COOK, A. W., Carpal tunnel syndrome in pregnancy, 1333
 WALTERS, DONALD, AND WHITEHEAD, DONALD, Monoamniotic twin pregnancy, 1129
 WARD, JAMES V. (see DILWORTH AND WARD), 1088
 DE WATTEVILLE, HUBERT P., The use of obstetrical analgesia at the Maternity Hospital of Geneva, 473
 WEAVER, OWENS S. (see COSGROVE AND WEAVER), 556
 WEBSTER, AUGUSTA, Factors affecting neonatal mortality, 262
 WEIL, ALVIN M., AND GRABER, VIRGIL R., The management of the near-term pregnant patient who dies undelivered, 754
 WEIL, R. J., AND STEWART, LUCILLE C., The problem of spontaneous abortion. III. Psychosomatic and interpersonal aspects of habitual abortion, 322
 — (see TUPPER, MOYA, STEWART, WEIL, AND GRAY), 313
 WEIR, DAVID R. (see WEIR, WEIR, AND LITTELL), 412
 WEIR, WILLIAM C., WEIR, DAVID R., AND LITTELL, ARTHUR S., A statistical comparison of the therapeutic value of carbon dioxide insufflation versus oil salpingography, 412

WESELEY, ALVIN C., NEUSTADTER, MURRAY I., AND LEVINE, WILLIAM, Massive intraperitoneal hemorrhage of ovarian follicular origin during anticoagulant therapy, 683
 WHEELER, J. D. (see PILDES AND WHEELER), 79
 WHITEHEAD, DONALD (see WALTERS AND WHITEHEAD), 1129
 WIENER, ALEXANDER S. (see FREDA, WIENER, AND GORDON), 1148
 WILLIAMS, J. M., JR. (see WILLSON, WILLIAMS, AND HAYASHI), 30
 WILLSON, J. ROBERT, WILLIAMS, J. M., JR., AND HAYASHI, T. T., Hypertonic saline infusions for the differential diagnosis of the toxemias of pregnancy, 30
 WILSON, LEO, Comment on "uterine hypertrophy in the presence of androgen-producing adrenal tumor," 930 (Correspondence)
 WINCHESTER, LYNN W. (see CONANT, WINCHESTER, AND SILVERMAN), 914
 WINSTON, HERBERT G., AND KELLY, JOHN V., Postmortem cesarean section, reply, 693 (Correspondence)
 WOLFF, HERBERT M. (see CAGAN AND WOLFF), 885

Y

YOUSSEF, ABDEL FATAH, "Menouria" following lower segment cesarean section, 759

Z

ZEIGERMAN, JOSEPH H., VALDES-DAPENA, ANTONIO M., AND FETTIG, LOUIS, Submucous myoma in the normal-sized uterus, 1286
 ZILBOORG, GREGORY, The clinical issues of postpartum psychopathological reactions, 305
 ZUMMO, B. P. (see KANTER AND ZUMMO), 1100

SUBJECT INDEX*

A

Abdominal (peritoneal) pregnancy, early primary (Martini), 1139
subsequent to total hysterectomy (Adams and Schreier), 680
relaxant, Novocain as (Grafton), 1225
ABO incompatibility in the etiology of hemolytic disease of the newborn (Copeland, Vorys, and Ullery), 1045
sensitization, unsuspected source (Freda, Wiener, and Gordon), 1148
Aborted pregnancy, changes in chorionic tissue of (Huber, Mellin, and Vellios), 569
Abortion, acute tubular necrosis of kidney following (Bull, Joekes, and Lowe), 461 (Abst.)
endometrium after (Hinz), 1370 (Abst.)
habitual, caused by incompetent internal cervical os (Hunter, Henry, and Civin), 875
etiological approach (Masters, Maze, and Gilpatrick), 1022
psychosomatic and interpersonal aspects (Weil and Stewart), 322
ovum in (Shettles), 1158 (Abst.)
in polyhydramnios (Caldeyro-Barcia, Pose, and Alvarez), 1248
spontaneous, biological aspects (Henry), 1229
problem, combined approach (Tupper et al.), 313
therapeutic (Folger), 1039
Abruptio placentae, fetal salvage in (Waddington), 816
Abstracts, 460, 922, 1154, 1364
Acardius acephalus (Ketchum and Motyloff), 1349
amorphus (Ketchum and Motyloff), 1349
Acephalus acardius (Ketchum and Motyloff), 1349
Acetazolamide (Diamox), treatment of pre-eclamptic edema with (Dieckmann, Harrod, and Monardo), 789
Acetone as fixative in exfoliative cytological studies (Sagi and Mackenzie), 437
Acid phosphatase in squamous epithelium of cervix (Gross and Danziger), 104, 107, 109
Acromegaly and pregnancy (Greenblatt, Vazquez, and McLendon), 1158 (Abst.)
ACTH in Rh sensitization (Cannell, Van Wyck, and Gillies), 1188
Adenocarcinoma of vagina (Studdiford), 648
Adenomatous origin, vaginal lesions of (Studdiford), 641
Adenomyomas in normal-sized uterus (Zeigerman, Valdes-Dapena, and Fettig), 1286
Adenosis of vagina (Studdiford), 645
Adrenal cortical type of tumor of ovary (Cagan and Wolff), 885
tumor, androgen-producing, uterine hypertrophy in presence of (Quint, Parker, and Hamblen), 206
comment (Wilson), 930 (Correspondence)
Adrenalectomy and oophorectomy in patients with mammary carcinoma, sex hormone excretion after (Strong et al.), 926 (Abst.)
Afibrinogenemia, amniotic fluid embolism, and disseminated fibrin thrombosis, case (Tuller), 273
obstetrical, role of fibrinolytic enzyme system in (Phillips, Montgomery, and Taylor), 43

Afibrinogenemia—Cont'd
in obstetrics (FitzGerald and Jackson), 461 (Abst.)
uterine hemorrhage and (Duchaine), 1195
Age, maternal, relation of anomalies to (Fink), 1370 (Abst.)
and ratio Tm PAH/Diodrast (Stoloff, Watson, and Shock), 1364 (Abst.)
of women undergoing gynecologic operations at Free University of Berlin (Mikulicz-Radecki), 1159 (Abst.)
Aging process, hormones and (Engle and Pincus), 458 (B. rev.)
Albumin fractions of different solubility in serum, relation to cancer (Kahn et al.), 853
d,l-Aldosterone, availability, 1162 (Item)
Alkaline phosphatase in squamous epithelium of cervix (Gross and Danziger), 111, 112
Alpha-amylase, identification as secretion of Fallopian tube (Green), 402
American Association of Obstetricians and Gynecologists, Foundation prize, 464 (Item)
transactions of sixty-seventh annual meeting, 465
American Board of Obstetrics and Gynecology, 228, 464, 696, 929, 1162, 1372 (Item)
American Cancer Society, clinical fellowships, 929 (Item)
Amniotic fluid, clinical, biological, and physico-chemical study (Hannon, Coquin-Carnot, and Pignard), 458 (B. rev.)
effects of withdrawal of excess, in polyhydramnios (Caldeyro-Barcia, Pose, and Alvarez), 1238
embolism, afibrinogenemia, and disseminated fibrin thrombosis, case (Tuller), 273
lactic acid levels in (Hendricks), 503
Amorphus acardius (Ketchum and Motyloff), 1349
Analgesia, effect on oxygen saturation of newborn (Shields and Taylor), 1013
obstetrical, use at Maternity Hospital of Geneva (de Watteville), 473
Androgen-producing adrenal tumor, uterine hypertrophy in presence of (Quint, Parker, and Hamblen), 206
comment (Wilson), 930 (Correspondence)
Anemia of newborn associated with appearance of fetal hemoglobin in maternal circulation (O'Connor et al.), 768
sickle-cell, in pregnancy (Beattie and Henry), 904
Anesthesia, maternal mortality due to (Krupp), 259
obstetrical (Hershenson), 225 (B. rev.)
for obstetrics-labor-delivery-infant care (Hingson and Hellman), 222 (B. rev.)
types, effect on oxygen saturation of newborn (Shields and Taylor), 1012
Anesthetic, local, Novocain in abdominal surgery (Grafton), 1225
Aneurysms complicated by pregnancy (Pedowitz and Perell), 720, 736
renal, and pregnancy (Pedowitz and Perell), 725
splenic, and pregnancy (Pedowitz and Perell), 724
Anomalies, relation to maternal age (Fink), 1370 (Abst.)

*January, pp. 1-232; February, pp. 233-464; March, pp. 465-696; April, pp. 697-930; May, pp. 931-1162; June, pp. 1163-1392.

Anomaly, developmental, ovum in (Shettles), 1158 (Abst.)

Anoxia, classification (Shields and Taylor), 1019

fetal, relation to changes in prenatal fetal electrocardiogram (Southern), 233 in newborn (Philipp), 1155 (Abst.)

Antibiotics, specific, for resistant pelvic infections (Hurtig), 1183

Anticoagulant therapy, intraperitoneal hemorrhage of ovarian follicular origin during (Weseley, Neustadter, and Levine), 683

treatment of phlebothrombosis during pregnancy (Blum), 440

Antidiuretic activity in blood from internal jugular vein (Bisset, Lee, and Bromwich), 1365 (Abst.)

Aorta, aneurysms (Pedowitz and Perell), 720

Arrest, transverse, position, procedure to correct (Smith), 947

Arrhenoblastoma, malignant, of ovary (Nelson, Calderwood, and Cohen), 1115

Ascorbic acid requirements following gynecologic operations (Koester), 1160 (Abst.)

Atony, postpartum, factors influencing (Friedman), 1311

uterine, cause of shock (Reid), 704

Atresia, congenital, of lower third of vagina with concealed hematocolpos (Roitman and Israel), 881

of small intestine, early recognition (Sager), 1367 (Abst.)

Atrial paroxysmal tachycardia in pregnancy (Massey), 894

Atypical epithelial changes of cervix uteri, clinicopathologic study of 56 cases (Rawson and Knoblich), 120

Autotransfusion with blood from peritoneal cavity in ectopic pregnancy (Rainer and Szuka), 928 (Abst.)

B

Bacteriologic study of menstrual blood in tuberculosis of genital tract, results (Hahn), 1372 (Abst.)

Basal cell, evaluation in radiosensitivity studies of carcinoma of cervix (Smith et al.), 598

temperature, diagnostic value in gynecology and obstetrics (Doring), 1367 (Abst.)

Benemid, effect on uric acid excretion in normal pregnancy and in pre-eclampsia (Hayashi), 17

Benign disease, intestinal obstruction following pelvic surgery for (Boynton and Bonsnes), 149

and malignant squamous epithelium of cervix uteri, histochemical techniques applied to (Gross and Danziger), 94

Biological aspects of spontaneous abortion (Henry), 1229

Blakiston's new Gould medical dictionary (Hoerr and Osol, editors), 455 (B. rev.)

Bleeding tendencies, surgical, in patients with pelvic inflammatory disease (Kanter and Zummo), 1100

uterine, abnormal, treated with toluidine blue (Rumbolz and Greene), 992

dysfunctional (Wall and Jacobs), 985

intrauterine radium for (Copeland, Nelson, and Payne), 615

use of protamine sulfate and toluidine blue in (Scholz), 1160 (Abst.)

Blood and cerebrospinal fluid estimations following administration of chloral hydrate during puerperium (Bernstine, Meyer, and Bernstine), 801

clotting, 43-64

coagulability, theoretical increase after intravenous estrogen administration (Johnson), 1368 (Abst.)

coagulation during normal pregnancy, labor, and puerperium (Kennan and Bell), 57

Blood—Cont'd

cord, of cesarean-born infants, oxygen studies (Henderson, Mosher, and Bittrich), 664

loss, cause of shock (Reid), 704

from peritoneal cavity, autotransfusion with, in ectopic pregnancy (Rainer and Szuka), 928 (Abst.)

replacement, massive, ventricular fibrillation during (Howland, Boyan, and Schweizer), 1154 (Abst.)

tests to determine whether uterine cancer has been cured (Dieckmann), 917 (Editorial)

transfusion, intravenous iron as alternative in late pregnancy (Sortor), 338

Book reviews, 222, 455, 919, 1151, 1362

Books received, 928, 1153, 1363

Breast feeding, maternal emotions toward (Newton), 223 (B. rev.)

Bregma presentation (Calkins and Pearce), 288

Broad ligament, tumors of (Gardner, Greene, and Peckham), 536

Bromelain, action on uterus (Hunter, Henry, and Heinicke), 867

(Hunter, Henry, and Civin), 875

C

Cancer, gynecologic (Corsaden), 226 (B. rev.)

Krebiozen in management (Ivy, Pick, and Phillips), 1152 (B. rev.)

pelvic, exenteration operations in treatment (Douglas and Sweeney), 1169

porphyrins in relation to (Hiller), 377

relation of serum albumin fractions of different solubility (Kahn et al.), 853

uterine, blood tests to determine cure (Dieckmann), 917 (Editorial)

routine Papanicolaou and Draghi tampon cytologic studies in (Scott, Brown, and Reagan), 349

Carbon dioxide insufflation versus oil salpingography, therapeutic value (Weir, Weir, and Littell), 412

Carcinoma of cervical stump (Decker et al.), 974

of cervix, evaluation of basal cell in radiosensitivity studies (Smith et al.), 598

interstitial radioactive cobalt needles in treatment (Ezell and Holzaepfel), 354

in pregnancy, detected by vaginal smear (Malinconico), 75

radiosensitivity, endocrine factors related to (Medina), 924 (Abst.)

substances and reactions significant in (Gross and Danziger), 98

endometrial, association of Stein-Leventhal syndrome with (Jackson and Dockerty), 161

relation of ovarian stromal hyperplasia (Roddick and Greene), 843

gynecologic, primary mortality in radium therapy (Geipel), 1371 (Abst.)

intraepithelial, squamous-cell, of cervix (Rawson and Knoblich), 120

mammary, sex hormone excretion after adrenalectomy and oophorectomy in patients with (Strong et al.), 926 (Abst.)

of ovary, primary (Davis, Latour, and Philpott), 1368 (Abst.)

of rectum complicating pregnancy (Marcus, Cibley, and Brandt), 1337

in situ of cervix, diagnosis, histologic changes in uterine cervix during pregnancy and (Campos and Soihet), 463 (Abst.)

prognostic significance of glandular involvement in cold knife conization biopsies (Baker and Hawks), 1266

so-called (Randerath and Hieronymi), 927 (Abst.)

subsequent to intrauterine radium (Copeland, Nelson, and Payne), 619

Carcinoma—Cont'd
of vulva (Isaacs and Topek), 1277
surgery for (Collins, Burman, and Mathews), 923 (Abst.)

Carcinomas, extrauterine, significance of positive vaginal smears in (Song), 341

Cardiac arrhythmias, treatment (Massey), 895

Carpal tunnel syndrome in pregnancy (Wallace and Cook), 1333

Case reports, 190, 429, 680, 881, 1109, 1333

Central Association of Obstetricians and Gynecologists, transactions of twenty-fourth annual meeting, 931

Cerebral hemorrhage as manifestation of sickle-cell phenomenon (Fadell and Crone), 212

vessels, aneurysms (Pedowitz and Perell), 736

Cerebrospinal fluid level following administration of chloral hydrate during puerperium (Bernstine, Meyer, and Bernstine), 801

Cerebrovascular complications of pregnancy (Pedowitz and Perell), 736

Cervical carcinoma, radiosensitivity, endocrine factors related to (Medina), 924 (Abst.)

mucus, effect of mucolytic properties of papain and bromelain on (Hunter, Henry, and Heinicke), 867

os internal, physiologically incompetent (Hunter, Henry, and Civin), 875

pregnancy (Goldfine and Mazzanti), 450

(Schneider and Dreizin), 1364 (Abst.)

secretions, menstrual cycle and (Bernroth), 1369 (Abst.)

stump, carcinoma (Decker et al.), 974

Cervix, atypical epithelial changes, clinicopathologic study of 56 cases (Rawson and Knoblich), 120

carcinoma, evaluation of basal cell in radiosensitivity studies (Smith et al.), 598

interstitial radioactive cobalt needles in treatment (Ezell and Holzaepfel), 354

intraepithelial squamous-cell (Rawson and Knoblich), 120

in pregnancy detected by vaginal smear (Malinconico), 75

in situ, prognostic significance of glandular involvement in cold knife conization biopsies (Baker and Hawks), 1266

substances and reactions significant in (Gross and Danziger), 98

histologic changes during pregnancy and diagnosis of carcinoma in situ (Campos and Soihet), 463 (Abst.)

hyperplasia of, atypical, routine Papanicolaou and Draghi tampon cytologic studies in (Scott, Brown, and Reagan), 349

prolapse in pregnancy (Conant, Winchester, and Silverman), 914

squamous epithelium of, histochemical techniques applied to (Gross and Danziger), 94

Cesarean section hysterectomy (Folger), 1035

improved results and changed indications (Wimhoefer and Bach), 1155 (Abst.)

lower segment, "menouria" following (Youssef), 759

maternal and perinatal mortality (Gordon), 65

oxygen saturation studies of newborn infants following (Shields and Taylor), 1011

postmortem (Sullivan), 693 (Correspondence)
(Weil and Gruber), 755
reply (Winston and Kelly), 693 (Correspondence)

prolapse of umbilical cord as indication (Dilworth and Ward), 1088

Cesarean-born infants, oxygen studies of cord blood (Henderson, Mosher, and Bitrich), 664

Childbirth, maternal emotions toward (Newton), 223 (B. rev.)

psychoprophylactic preparation for (de Watteville), 475

Chloral hydrate administration in puerperium, blood and cerebrospinal fluid levels following (Bernstine, Meyer, and Bernstine), 801

Chloride and sodium, distribution in human uteri (Daniel and Boyes), 398

Chlortetracycline, ingested, placental and mammary transfer (Elliott and Whitehill), 1368 (Abst.)

Chorea gravidarum treated with corticotrophin (Forrest and Hales), 926 (Abst.)

Chorioangiopagus parasiticus (Ketchum and Motyloff), 1349

Chorionic tissue of aborted pregnancy, changes (Huber, Melin, and Vellos), 569

Cigarette smoking and incidence of prematurity (Simpson), 808

Circulation, maternal, fetal hemoglobin in uterine, in premature delivery (Bruns et al.), 579

Clinical orientation of hormone therapy in gynecology (Marchesi), 223 (B. rev.)

Coagulability of blood, theoretical increase after intravenous administration of estrogens (Johnson), 1368 (Abst.)

Coagulation, blood, in pregnancy, labor, and puerperium (Kennan and Bell), 57

Cobalt, radioactive, interstitial needles, use in treatment of carcinoma of cervix (Ezell and Holzaepfel), 354

Coitus, effects on urethrovesicopubic relationships in female (Hodgkinson), 518

Colposcopy (Hinselmann), 1362 (B. rev.)

Compressus, fetus, in case of triplets (Roos, Roter, and Molina), 1342

Congenital malformation, mechanisms (Second Scientific Conference of Association for the Aid of Crippled Children, S. R. M. Reynolds, chairman), 222 (B. rev.)

Conization biopsies of cervix, prognostic significance of glandular involvement in carcinoma in situ (Baker and Hawks), 1266

Contractile activity in lower uterine segment in labor (Sher and Southern), 822

Contractility, uterine, circulation, and urinary steroids in premature delivery (Bruns et al.), 579

in polyhydramnios (Caldeyro-Barcia, Pose, and Alvarez), 1238

Cord blood of cesarean-born infants, oxygen studies (Henderson, Mosher, and Bitrich), 664

Cornual block, tubal implantation for (Ostry), 409

Correspondence, 693, 930, 1161

Corticotrophin, chorea gravidarum treated with (Forrest and Hales), 926 (Abst.)

Cortisone, effectiveness in Rh sensitization (Cannell, Van Wyck, and Gillies), 1187

for resistant pelvic infections (Hurtig), 1183

Counseling, premarital (Muller), 941

C-reactive protein test in pregnancy (Tyler and Roess), 837

Creatinine, endogenous, clearance after normal and toxemic pregnancy (Hayashi), 23

Curettage, accidental perforation of uterus during, endometriosis following (Kimball and Reeves), 422

endometrial, in detection of submucous myomas in normal-sized uterus (Zeigerman, Valdes-Dapena, and Fettig), 1286

Cyst at apex of vagina after total hysterectomy (Perl and Milles), 1127

ovarian, in newborn infant (Finola, Quitanagon, and Pontius), 690

Cystadenocarcinoma, pseudomucinous of ovary, in 19-year-old patient (Drewes, Solome, and Preacher), 1112
 Cysts, bilateral ovarian endometrial, intrapartum rupture (Brill, Rapoport, and Kaplan), 200
 of Müllerian and mesonephric duct origin, enzyme secreted by (Green), 402
 solitary, of vagina (Studdiford), 643
 Cytologic(al) changes in cervical epithelium in pregnancy (Malinconico), 75
 in endometrial epithelium in ectopic pregnancy (Pildes and Wheeler), 79
 diagnosis in gynecology (Smolka and Soost), 224 (B. rev.)
 studies, exfoliative, acetone as fixative in (Sagi and Mackenzie), 437
 routine Papanicolaou and Draghi tampon, in atypical hyperplasia of cervix and uterine cancer (Scott, Brown, and Reagan), 349
 techniques for office and clinic (Nieburgs), 1151 (B. rev.)
 Cytology, exfoliative, atlas, supplement I (Papanicolaou), 459 (B. rev.)

D

Deliveries, difficult, oxygen saturation studies of newborn infants following (Shields and Taylor), 1011
 Delivery, anesthesia for (Hingson and Hellman), 222 (B. rev.)
 of fetal head in persistent occiput posterior and transverse arrest positions, procedure to facilitate (Smith), 947
 postmortem (Weil and Gruber), 754
 premature, prevention (Stephens), 694
 (Correspondence)
 uterine contractility, circulation, and urinary steroids in (Bruns et al.), 579
 vaginal, in paraplegic patient (Mulla), 1346
 Dermatology, pediatric, practical (Lederer), 1152 (B. rev.)
 Diamox, treatment of pre-eclamptic edema with (Dieckmann, Harrod, and Monardo), 789
 Didelphic uterus in habitual abortion (Masters, Maze, and Gilpatrick), 1029
 Dieckmann salt test, evaluation (Willson, Williams, and Hayashi), 30
 Dietary deficiencies and toxemia (Theobald), 227 (B. rev.)
 Diethylstilbestrol, effect on binding of thyroxine in serum (Dowling, Freinkel, and Ingbar), 1158 (Abst.)
 Digitalis therapy of atrial paroxysmal tachycardia (Massey), 897
 Diodrast, PAH ratio to, according to age (Stoloff, Watkin, and Shock), 1364 (Abst.)
 Diuretic, oral, therapeutic evaluation of Mectine (Caccamo, Pringle, and Hissong), 922 (Abst.)
 Diuretics, mercurial, in toxemia of pregnancy (Smith, Hendrick, and Miller), 784
 Draghi tampon cytologic studies, comparison with routine Papanicolaou studies in atypical hyperplasia of cervix and uterine cancer (Scott, Brown, and Reagan), 349
 Dysfunction, uterine, treated with Pitocin (Hellman, Kohl, and Schechter), 511
 Dysfunctional uterine bleeding, intrauterine radium for (Copeland, Nelson, and Payne), 615
 in premenopausal and menopausal years (Wall and Jacobs), 985
 Dyskaryosis of cervical epithelium (Rawson and Knoblich), 120
 Dysmenorrhea, use of papain and bromelain in (Hunter, Henry, and Heincke), 872
 Dystocia, vaginal septum, cause (Caliguir), 1132

E

Eclampsia, artificial hibernation ("lytic cocktail") in treatment (Agüero), 777
 renal lesion in (Dieckmann, Potter, and McCartney), 1
 in twin pregnancies (Bulfin and Lawler), 38
 Ectopic pregnancy, atypical cellular changes in endometrial glands associated with (Pildes and Wheeler), 79
 autotransfusion with blood from peritoneal cavity in (Ranier and Szuka), 928 (Abst.)
 laboratory examinations in diagnosis (Schueler), 928 (Abst.)
 preservation of fertility by conservative surgery for (Tompkins), 1157 (Abst.)
 Edema, limb, of pelvic etiology in women (Valenti), 380
 pre-eclamptic, treatment with acetazolamide (Diamox) (Dieckmann, Harrod, and Monardo), 789
 Editorial, blood tests to determine whether uterine cancer has been cured (Dieckmann), 917
 results of survey of subscriber opinion (Dieckmann and Taylor), 677
 routine laboratory work (Dieckmann), 219
 Electrocardiogram, prenatal fetal, fetal anoxia and relation to changes in (Southern), 233
 Electrolyte studies in toxemia of pregnancy treated with mercurial diuretics (Smith, Hendrick, and Miller), 784
 Electrolytes of human uterus and possible relation to functional activity (Daniel and Boyes), 395
 vascular reactivity and, in normal and toxemic pregnancy (Raab et al.), 925 (Abst.)
 Embolism, amniotic fluid, afibrinogenemia and disseminated fibrin thrombosis, case (Tuller), 273
 maternal mortality due to (Krupp), 255
 Embryonic development of vagina (Roitman and Israel), 882
 Emotional factors in spontaneous abortion (Tupper et al.), 318
 Endocrine factors in gynecology (Sturgis), 180
 related to radiosensitivity of cervical carcinoma (Medina), 924 (Abst.)
 Endocrinology, practical (Hurxthal), 459 (B. rev.)
 Endocrinopathies and infertility (Greenblatt, Vazquez, and McLendon), 1158 (Abst.)
 Endometrial carcinoma, association of Stein-Leventhal syndrome with (Jackson and Dockerty), 161
 relation of ovarian stromal hyperplasia to (Roddick and Greene), 843
 curettage in detection of submucous myoma in normal-sized uterus (Zeigerman, Valdes-Dapena, and Fettig), 1286
 cysts, ovarian, bilateral, intrapartum rupture (Brill, Rapoport, and Kaplan), 200
 fibrosis, relation to habitual abortion (Masters, Maze, and Gilpatrick), 1024
 glands, atypical cellular changes in, associated with ectopic pregnancy (Pildes and Wheeler), 79
 hyperplasia (Wall and Jacobs), 988
 stroma, sarcoma and sarcoma-like proliferations (Symmonds, Dockerty, and Pratt), 1054
 Endometriosis, clinical diagnosis and pathology reports, correlation (Stone), 1303
 familial occurrence (Frey), 418
 following perforation of uterus during curettage (Kimball and Reeves), 422
 of perineum (Prince and Abrams), 890
 stromal (Symmonds, Dockerty, and Pratt), 1054

Endometriosis—Cont'd
 theories as to etiology (Kimball and Reeves), 423
 of vagina (Studdiford), 644
 of vulva during pregnancy (Nussbaum and Motyloff), 215
 Endometrium after abortion (Hinz), 1370 (Abst.)
 changes induced by drugs, morphologic examination (Winter and Pots), 1369 (Abst.)
 explanted at varying stages of menstrual cycle, tissue-culture studies (Moore), 1156 (Abst.)
 metachromatic granules in (Rumbolz and Greene), 992
 Enzyme secreted by epithelium lining Fallopian tube (Green), 402
 system, fibrinolytic, role in obstetrical afibrinogenemia (Phillips, Montgomery, and Taylor), 43
 Episiotomy repair, needle fragment lost in perineum during removal (Lamm), 217
 Epithelial changes, atypical, of cervix uteri, clinicopathologic study of 56 cases (Rawson and Knoblich), 120
 Epithelium, cervical, atypical changes in pregnancy (Malinconico), 75
 endometrial, atypical changes in ectopic pregnancy (Pildes and Wheeler), 79
 squamous, of cervix uteri, histochemical techniques applied to (Gross and Danziger), 94
 "tubelike," of Müllerian and mesonephric duct origin, alpha-amylase identified as secretion of (Green), 402
 Erythroblastosis due to ABO incompatibility (Copeland, Vorys, and Ullery), 1045
 Erythrocyte sedimentation rate, C-reactive protein test compared with (Tyler and Roess), 839, 840
 Esterase, nonspecific, in squamous epithelium of cervix (Gross and Danziger), 102, 105
 Estrogen levels in plasma in late pregnancy in normal menstruating female, and in male (Preedy and Aitken), 1367 (Abst.)
 production after menopause (Randall), 1002
 Estrogens, changes in plasma prothrombin, Ac-globulin, and antithrombin concentration following intravenous administration (Johnson), 1368 (Abst.)
 Exenteration operations in treatment of advanced pelvic cancer (Douglas and Sweeney), 1169
 Exercise, uterine blood flow during, in pregnancy (Morris et al.), 1364 (Abst.)
 Exsanguination, fetal, associated with surgical induction of labor (Russell and Smith), 1154 (Abst.)

F

Fallopian tube, identification of alpha-amylase as secretion of (Green), 402
 tubes, plastic operations, for sterility (Hartl and Langer), 1156 (Abst.)
 Female nuclear sex, male hypogonadism with (Jackson et al.), 926 (Abst.)
 Femininity, aspects, maternal emotions toward (Newton), 223 (B. rev.)
 Fertility, human ovulation and (Farris), 456 (B. rev.)
 preservation by conservative surgery for ectopic pregnancy (Tompkins), 1157 (Abst.)
 studies on (Vol. VII of proceedings of Society for the Study of Sterility) (Harrison), 228 (B. rev.)
 Fertilization (Rothschild), 455 (B. rev.)
 Fetal abnormalities, role in spontaneous abortion (Henry), 1234
 anoxia, relation to changes in prenatal fetal electrocardiogram (Southern), 233

Fetal—Cont'd
 death in utero with hypofibrinogenemia (Jennison and Walker), 925 (Abst.)
 distress, early recognition (Randall), 936
 electrocardiogram, prenatal, fetal anoxia and, relation to changes in (Southern), 233
 exsanguination associated with surgical induction of labor (Russell and Smith), 1154 (Abst.)
 head, delivery, in persistent occiput posterior and transverse arrest positions, procedure to facilitate (Smith), 947
 heart ratemeter (Corner and Stran), 190
 hemoglobin in maternal circulation, anemia of newborn associated with (O'Connor et al.), 768
 mortality and complications, 805-821
 in perinatal infection (Smith, Jennison, and Langley), 1365 (Abst.)
 in prolapse of umbilical cord (Dilworth and Ward), 1089
 in twin pregnancies with toxemia (Bulfin and Lawler), 40
 salvage in abruptio placentae (Waddington), 816
 Fetus amorphus (Ketchum and Motyloff), 1349
 compressus in case of triplets (Roos, Roter, and Molina), 1342
 papyraceous in case of triplets (Roos, Roter, and Molina), 1342
 transfer of radiosodium to, in late pregnancy (Clayton, Farmer, and Johnson), 925 (Abst.)
 Fibrillation, ventricular, during massive blood replacement (Howland, Boyan, and Schweizer), 1154 (Abst.)
 Fibrin thrombosis, amniotic fluid embolism, afibrinogenemia and, case (Tuller), 273
 Fibrinolytic enzyme system, role in obstetrical afibrinogenemia (Phillips, Montgomery, and Taylor), 43
 Fibrosis, endometrial, relation to habitual abortion (Masters, Maze, and Gilpatrick), 1024
 Fistula, vesicouterine, following lower segment cesarean section (Youssef), 759
 vesicovaginal and rectovaginal, problem in radical pelvic surgery (Atlee and Tupper), 141, 147
 Fistulas, ureterovaginal, following radical pelvic surgery (Masterson), 359
 Follicle-stimulating hormone, response of polycystic ovaries to (Keettel, Bradbury, and Stoddard), 955
 Forceps, single application, procedure to facilitate delivery of fetal head in persistent occiput posterior and transverse arrest positions (Smith), 947
 Foundation prize of American Association of Obstetricians and Gynecologists, 464 (Item)
 Functional uterine bleeding (Wall and Jacobs), 985
 Funis, prolapse (Dilworth and Ward), 1088

G

Gastromelic monster (Rodriquez de Castro y Martinez), 1369 (Abst.)
 Genetic factors in spontaneous abortion (Henry), 1234
 Genital tract, female, multiple primary malignant tumors involving (Brown, Latour, and Dodds), 127
 Gilliam-Dolérès uterine suspension operation, urethrovesicopubic relationships and (Hodgkinson), 528
 Glandular involvement in cold knife conization biopsies in carcinoma in situ of cervix, prognostic significance (Baker and Hawks), 1266
 Glycogen in squamous epithelium of cervix (Gross and Danziger), 98, 101

Gonadotrophin therapy, induction of ovulation by (Igarashi and Matsumoto), 1294

Gonococcal ophthalmia neonatorum, failure of silver nitrate prophylaxis (Pearson), 805

Gould medical dictionary, Blakiston's new (Hoerr and Osol, editors), 455 (B. rev.)

Gravid patients, hysterectomy on (Folger), 1035

Gynecologic(al) cancer (Corscaden), 226 (B. rev.)

carcinomas, primary mortality in radium therapy (Geipel), 1371 (Abst.)

cytologic diagnosis (Smolka and Soost), 224 (B. rev.)

and obstetrical pathology reports, accuracy in small hospital (Stone), 1299

operations, ascorbic acid requirements following (Koester), 1160 (Abst.)

at Free University of Berlin, age of women undergoing (Mikulicz-Radecki), 1159 (Abst.)

practice, results of radiation therapy with pendulum source in (Kirchhoff and Kepp), 1155 (Abst.)

Gynecology, articles on, 94-189, 341-428, 843-880

clinical orientation of hormone therapy (Marchesi), 223 (B. rev.)

comprehensive, challenge (Sturgis), 180

conservative therapy (Muller), 1362 (B. rev.)

integrated: principles and practice (Rubin and Novak), 1151 (B. rev.)

obstetrics and, clinical, progress (Lewis), 225 (B. rev.)

psychosomatic (Israel), 865

synopsis (Crossen), 457 (B. rev.)

textbook (Novak and Novak), 921 (B. rev.)

H

Haemophilus vaginalis vaginitis (Gardner, Dampeer, and Dukes), 1080

Hair, human body—quantitative study (Shah), 1255

Heart disease, treatment (Gross and Jezer), 459 (B. rev.)

fetal, ratemeter (Corner and Stran), 190

rhythm, disturbances (Massey), 895

Hematocolpos, congenital atresia of lower third of vagina with (Roitman and Israel), 881

Hemoglobin, fetal, in maternal circulation, anemia of newborn associated with (O'Connor et al.), 768

Hemolytic disease of newborn, ABO incompatibility in etiology (Copeland, Vorys, and Ullery), 1045

Hemorrhage, cause of shock (Reid), 704

cerebral, as manifestation of sickle-cell phenomenon (Fadell and Crone), 212

fetal, into maternal circulation (O'Connor et al.), 768

intraperitoneal, of ovarian follicular origin during anticoagulant therapy (Wesely, Neustadter, and Levine), 683

maternal mortality due to (Krupp), 252

postpartum, delayed (Heath), 1071

oxytocics in control (Friedman), 1307

subarachnoid, complication of pregnancy (Pedowitz and Perell), 736

in twin pregnancies with toxemia (Bulfin and Lawler), 41

uterine, and afibrinogenemia (Duchaine), 1195

Hernia, inguinal, incomplete, in pregnancy (Hodgkinson and Kroll), 967

Hernial sacs, unusual findings (Bornstein), 1109

Hibernation, artificial ("lytic cocktail"), in treatment of eclampsia (Aguero), 777

Hilus-cell tumor of ovary (Berkheiser), 429

Hirsutism (Shah), 1255

Histidine transfer across human placenta (Page et al.), 589

Histochemical techniques applied to study of benign and malignant squamous epithelium of cervix uteri (Gross and Danziger), 94

Histologic changes in uterine cervix during pregnancy and diagnosis of carcinoma in situ (Campos and Sohet), 463 (Abst.)

Holoacardius amorphus (Ketchum and Motylloff), 1352

Hormone deficiencies, relation to spontaneous abortion (Tupper et al.), 317

levels and psychological changes in pregnancy, correlation (Weil and Stewart), 322

therapy, clinical orientation, in gynecology (Marchesi), 223 (B. rev.)

and Rh factor (Cannell, Van Wyck, and Gillies), 1187

Hormones and aging process (Engle and Pincus), 458 (B. rev.)

posterior pituitary, chemistry and physiology (Douglas, Kramer, and Bonsnes), 1209

sex, excretion after bilateral adrenalectomy and oophorectomy in patients with mammary carcinoma (Strong et al.), 926 (Abst.)

suppression of lactation by (Primrose and Tremblay), 1218

Hunchback, pregnancy in (deCarle), 296

Hydatidiform mole in 12-year-old girl (Bobrow and Friedman), 448

in twin pregnancy (Logan), 911

Hydralazine, severe toxic reaction (McNichol and Hutchison), 1366 (Abst.)

Hydrocolpos after total hysterectomy (Perl and Milles), 1125

Hydrocortisone in prevention of transfusion thrombophlebitis (Polak), 463 (Abst.)

Hydronephrosis following radical pelvic surgery (Masterson), 365

Hydroureter following radical pelvic surgery (Masterson), 365

Hyperemesis gravidarum, treatment with hypnotherapy (Giorlando and Mascalca), 444

Hyperlipidemia of pregnancy, follow-up report on patient with (Russ and Barr), 1161 (Correspondence)

Hyperplasia, atypical, of cervix, routine Papanicolaou and Draghi tampon cytologic studies in (Scott, Brown, and Reagan), 349

endometrial (Wall and Jacobs), 988

ovarian stromal, relation to endometrial carcinoma (Roddick and Greene), 843

stromal (Symmonds, Dockerty, and Pratt), 1054

Hypertension, essential, uric acid and creatinine clearances in (Hayashi), 26

reserpine in (Bello and Turner), 922 (Abst.)

severe, reserpine in (Platt and Sears), 461 (Abst.)

Hypertensive disease, renal lesions (Dieckmann, Potter, and McCartney), 12

states, chronic maternal, influence on fetal electrocardiogram (Southern), 238

Hypertrichosis (Shah), 1255

Hypertrophy, uterine, in presence of androgen-producing adrenal tumor (Quint, Parker, and Hamblen), 206

comment (Wilson), 930 (Correspondence)

Hypnosis, medical, handbook (Ambrose and Newbold), 1362 (B. rev.)

Hypnotherapy, hyperemesis gravidarum treated with (Giorlando and Mascalca), 444

Hypofibrinogenemia, fetal death in utero with (Jennison and Walker), 925 (Abst.)

Hypogonadism, male, with female nuclear sex (Jackson et al.), 926 (Abst.)

Hysterectomy on gravid patients (Folger), 1035
 total, abdominal pregnancy subsequent to (Adams and Schreier), 680
 hydrocolpos after (Perl and Milles), 1125

I

Ileus, adynamic, following pelvic surgery for benign disease (Boynton and Bonsnes), 49
 Incontinence, stress, in female, diagnosis and treatment (Janssens), 227 (B. rev.)
 urinary, anatomical changes (Hodgkinson), 525
 Infant care, anesthesia for (Hingson and Hellman), 222 (B. rev.)
 maternal emotions toward (Newton), 223 (B. rev.)
 Infection, pelvic, cortisone and specific antibiotics for (Hurtig), 1183
 perinatal (Smith, Jennison, and Langley), 1365 (Abst.)
 puerperal, maternal mortality due to (Krupp), 251
 relation to habitual abortion (Masters, Maze, and Gilpatrick), 1028
 Infertility, endocrinopathies and (Greenblatt, Vazquez, and McLendon), 1158 (Abst.)
 ovum in (Shettles), 1158 (Abst.)
 therapeutic value of carbon dioxide insufflation versus oil salpingography in (Weir, Weir, and Littell), 412
 Inflammatory disease, pelvic, surgical bleeding tendencies of patients with (Kanter and Zummo), 1100
 Inguinal swelling during pregnancy (Hodgkinson and Kroll), 966
 Instruments, new, 190, 429, 680, 881, 1333
 Intestinal obstruction following surgery for benign disease (Boynton and Bonsnes), 149
 Intestine, small, early recognition of congenital atresia (Sager), 1367 (Abst.)
 Intraepithelial squamous-cell carcinoma of cervix (Rawson and Knoblich), 120
 Intramural pregnancy (Bazin and Compton), 1141
 Intrauterine radium for dysfunctional bleeding (Copeland, Nelson, and Payne), 615
 Iron, intravenous, as alternative to blood transfusion in late pregnancy (Sortor), 338
 Irradiation, supervoltage, in treatment of pelvic malignancy, evaluation (Hahn), 626
 Items, 228, 696, 929, 1162, 1372

K

Kidney, acute tubular necrosis, following abortion (Bull, Jockes, and Lowe), 461 (Abst.)
 biopsies in toxemia of pregnancy (Dieckmann, Potter, and McCartney), 1
 Krebiozen in management of cancer (Ivy, Pick, and Phillips), 1152 (B. rev.)
 Kyphoscoliosis and pregnancy (Dugan and Black), 89

L

Labor, anesthesia for (Hingson and Hellman), 222 (B. rev.)
 blood coagulation during (Kennan and Bell), 57
 contractile activity in lower uterine segment in (Sher and Southern), 822
 induction by massage of connective tissue (Schultze), 1371 (Abst.)
 with Pitocin (Douglas, Kramer, and Bonsnes), 1213
 (Hellman, Kohl, and Schechter), 507
 in twin pregnancies with toxemia (Bulfin and Lawler), 39

Labor—Cont'd
 lactic acid metabolism in pregnancy and (Hendricks), 492
 precipitate (Conger and Randall), 1321
 premature, factor in neonatal mortality (Webster), 262
 in polyhydramnios (Caldeyro-Barcia, Pose, and Alvarez), 1248
 Rh sensitization precipitated by (Cannell, Van Wyck, and Gillies), 1187
 surgical induction, fetal exsanguination associated with (Russell and Smith), 1154 (Abst.)
 uterus in, physiology (Mulla), 1346
 Laboratory examinations in diagnosis of ectopic pregnancy (Schueler), 928 (Abst.)
 work, routine (Dieckmann), 219 (Editorial)
 Lactation, suppression by hormones (Primrose and Tremblay), 1218
 Lactic acid metabolism in pregnancy and labor, studies (Hendricks), 492
 Leukocyte morphology, sex differentiation by (Briggs and Kuppermann) 924 (Abst.)
 Ligament, broad, sarcoma of, transitional myogenic tumors and (Frachtmann), 371
 tumors of (Gardner, Greene, and Peckham), 536
 Lipolymph nodes (Flor, Pratt, and Dahlin), 1120
 Lipomas of uterus (Chachutow and Brill), 1358
 Luteinizing hormone, response of polycystic ovaries to, 959
 Lymph nodes replaced by adipose tissue (lipolymph nodes) (Flor, Pratt, and Dahlin), 1120
 Lymphatic function test, evaluation of limb edema by (Valenti), 380
 Lymphedema of limb (Valenti), 381
 "Lytic cocktail" in treatment of eclampsia (Agtiero), 777

M

Male hypogonadism with female nuclear sex (Jackson et al.), 926 (Abst.)
 Malformation, congenital, mechanisms (Second Scientific Conference of Association for the Aid of Crippled Children, S. R. M. Reynolds, chairman), 222 (B. rev.)
 Malignancy, articles on, 341-379
 ovarian, primary, results of treatment (Henderson and Bean), 657
 pelvic, evaluation of supervoltage irradiation therapy in treatment (Hahn), 626
 Malignant squamous epithelium of cervix uteri, histochemical techniques applied to (Gross and Danziger), 94
 thecoma (Berkheiser), 434
 tumors, 94-140, 843-860
 multiple primary, involving female genital tract (Brown, Latour, and Dodds), 127
 Mammary carcinoma, sex hormone excretion after adrenalectomy and oophorectomy in patients with (Strong et al.), 926 (Abst.)
 transfer of ingested chlortetracycline (Elliott and Whitehill), 1368 (Abst.)
 Masculinovblastoma, adrenal cortical type of tumor of ovary (Cagan and Wolff), 885
 Mastitis, acute (Gunther), 461 (Abst.)
 Maternal age, relation of anomalies to (Fink), 1370 (Abst.)
 blood and cerebrospinal fluid estimation following chloral hydrate administration during puerperium (Bernstine, Meyer, and Bernstine), 801
 circulation, anemia of newborn associated with appearance of fetal hemoglobin in (O'Connor et al.), 768
 complications, 697-776
 emotions (Newton), 223 (B. rev.)

Maternal—Cont'd
 morbidity in 1,000 midforceps operations (Cosgrove and Weaver), 558
 mortality in Canada, decline and reasons therefor (Mitchell), 1201
 at Charity Hospital (Krupp), 248
 from eclampsia treated with "lytic cocktail" (Agdiero), 781
 and perinatal mortality of cesarean section (Gordon), 65
 service, hospital, nurse-patient relationships (Lesser and Keane), 920 (B. rev.)

Measuring line (Mitchell), 1201
 Medical dictionary, Blakiston's new Gould (Hoerr and Osol, editors), 455 (B. rev.)
 emergencies, pediatric handbook (De Sanctis and Varga), 920 (B. rev.)
 history (Israel), 861
 "Membrane mitt," for removal of retained secundines (Posner), 453
 Membranes, premature rupture (Biskind and Biskind), 750
 Menopausal vasomotor instability, influence of pituitary factors on (Hellbaum, Eskridge, and Payne) 460 (Abst.)
 years, dysfunctional uterine bleeding in (Wall and Jacobs), 985
 Menopause, effects on urethrovesicopubic relationships in female (Hodgkinson), 518
 woman after, ovarian function and (Randall), 1000
 "Menouria" following lower segment cesarean section (Youssef), 759
 Menstrual blood, bacteriologic study in tuberculosis of genital tract (Hahn), 1372 (Abst.)
 cycle and cervical secretions (Bernroth), 1369 (Abst.)
 Menstruating female, estrogen levels (Preedy and Aitken), 1367 (Abst.)
 Menstruation, maternal emotions toward (Newton), 223 (B. rev.)
 Merck manual (Lyght et al.), 1153 (B. rev.)
 Mercurial diuretics in toxemia of pregnancy (Smith, Hendrick, and Miller), 784
 Mesonephric duct cysts, enzyme secreted by (Green), 402
 structures of broad ligament (Gardner, Greene, and Peckham), 537
 Metabolism, lactic acid, in pregnancy and labor (Hendricks), 492
 Metachromatic granules in human endometrium (Rumbolz and Greene), 992
 Methods, new, 190, 429, 680, 881, 1333
 Metrorrhagia, functional, protamine titer in, and treatment with toluidine blue (Foix, Coll, and Iparraguirre), 923 (Abst.)
 Mictine, oral diuretic, therapeutic evaluation (Caccamo, Pringle, and Hissong), 922 (Abst.)
 Midforceps operations, analysis of 1,000 consecutive (Cosgrove and Weaver), 556
 Milk-ejection activity initiated by posterior pituitary extracts (Douglas, Kramer, and Bonsnes), 1211
 Mole, hydatidiform, in 12-year-old girl (Bobrow and Friedman), 448
 in twin pregnancy (Logan), 911
 Mongolian idiocy, toxoplasmosis and (Kleine), 1369 (Abst.)
 Moniliasis, prevalence (Gardner, Dampeer, and Dukes), 1080
 Monoamniotic twin pregnancy (Walters and Whitehead), 1129
 twins with double survival (Craig), 202
 Monster, acardiac (Ketchum and Motyloff), 1353
 gastromelic (Rodríguez de Castro y Martínez), 1369 (Abst.)
 Morbidity, maternal, in 1,000 midforceps operations (Cosgrove and Weaver), 558
 Morphologic examination of changes of endometrium induced by drugs (Winter and Pots), 1369 (Abst.)

Mortality, fetal, and complications, 805-821
 in perinatal infection (Smith, Jennison, and Langley), 1365 (Abst.)
 in prolapse of umbilical cord (Dilworth and Ward), 1089
 of hysterectomy of gravid patients (Folger), 1041
 infant, perinatal, of mature and postmature babies (Tucker and Benaron), 1316
 maternal, in Canada, decline (Mitchell), 1201
 at Charity Hospital (Krupp), 248
 from eclampsia treated by "lytic cocktail" (Agdiero), 781
 and perinatal of cesarean section (Gordon), 65
 neonatal, factors affecting (Webster), 262
 perinatal, in abruptio placentae (Waddington), 817
 of cesarean section (Gordon), 65
 in 1,000 midforceps operations (Cosgrove and Weaver), 559
 primary, in radium therapy of gynecologic carcinomas (Geipel), 1371 (Abst.)
 Mucolytic properties of papain and bromelain on cervical mucus (Hunter, Henry, and Heinicke), 867
 Müllerian duct cysts, enzyme secreted by (Green), 402
 structures of broad ligament (Gardner, Greene, and Peckham), 537
 Multiple pregnancies, interlocking and collision (Swann), 907
 Myocardial anoxia in fetus, pathology (Southern), 233
 infarction, cause of shock (Reid), 711
 Myogenic tumors, transitional, and sarcoma of broad ligament (Frachtmann), 371
 Myoma of round ligament in pregnancy (Hodgkinson and Kroll), 968
 submucous, in normal-sized uterus (Zeigerman, Valdes-Dapena, and Fettig), 1286
 uterine, as hereditary disease (Wear), 1366 (Abst.)
 Myomectomy in pregnancy (Mayer), 1370 (Abst.)

N

Nausea and vomiting, postpartum, side action of oxytocics (Friedman), 1309
 Needle fragment lost in perineum during episiotomy repair, removal (Lamm), 217
 Neonatal mortality, factors affecting (Webster), 262
 Neoplasms in association with Stein-Leventhal syndrome (Jackson and Dockerty), 167
 multiple primary malignant (Brown, Latour, and Dodds), 127
 Nephrosis, lower nephron, maternal mortality due to (Krupp), 258
 Newborn, anemia, associated with appearance of fetal hemoglobin in maternal circulation (O'Connor et al.), 768
 anoxia (Philipp), 1155 (Abst.)
 hemolytic disease, ABO incompatibility in etiology (Copeland, Vorys, and Ulery), 1045
 large ovarian cyst in (Finola, Quitangon, and Pontius), 690
 oxygen saturation studies (Shields and Taylor), 1011
 Novocain as abdominal relaxant (Grafton), 1225
 Nurse-patient relationships in hospital maternity service (Lesser and Keane), 920 (B. rev.)
 Nutritional deficiency diseases and toxemia (Theobald), 227 (B. rev.)

O

Objectives, our (presidential address, American Association of Obstetricians and Gynecologists) (Randall), 465

Obstetric(al) afibrinogenemia, role of fibrinolytic enzyme system in (Phillips, Montgomery, and Taylor), 43
 analgesia, use at Maternity Hospital of Geneva (de Watteville), 473
 anesthesia (Hershenson), 225 (B. rev.)
 complications, oxygen saturation studies of newborn infants following (Shields and Taylor), 1011
 pathology reports, accuracy in small hospital (Stone), 1299
 practice (Speert and Guttmacher), 455 (B. rev.)
 supplement, periodic review of the Encyclopédie médico-chirurgicale (Laffont and Chome), 225 (B. rev.)

Obstetricians, considerations on (Simard), 1163

Obstetrics, afibrinogenemia in (FitzGerald and Jackson), 461 (Abst.)
 anesthesia for (Hingson and Hellman), 222 (B. rev.)
 articles on, 1-93, 233-340, 697-842
 and gynecology, clinical, progress (Lewis), 225 (B. rev.)
 tuberculosis in (Schaefer), 226 (B. rev.)
 and obstetricians, considerations on (presidential address, Society of Obstetricians and Gynaecologists of Canada) (Simard), 1163
 shock in, 697
 Williams (Eastman), 919 (B. rev.)

Obstruction, intestinal, following pelvic surgery for benign disease (Boynton and Bonsnes), 149

Occiput posterior and transverse arrest positions, procedure to correct (Smith), 947

Oophorectomy, and adrenalectomy in patients with mammary carcinoma, sex hormone excretion after (Strong et al.), 926 (Abst.)

Operations, exenteration, in treatment of advanced pelvic cancer (Douglas and Sweeney), 1169

Operative risk in 1955, estimation (Moyer and Key), 924 (Abst.)

Ophthalmia neonatorum, gonococcal, failure of silver nitrate prophylaxis (Pearson), 805

Original reports, 1088, 1238

Osteogenesis imperfecta congenita diagnosed in utero (Posner and Goldman), 1143

Ovarian cyst in newborn infant (Finola, Quitanagon, and Pontius), 690
 endometrial cysts, bilateral, intrapartum rupture (Brill, Rapoport, and Kaplan), 200
 follicular origin, intraperitoneal, hemorrhage of, during anticoagulant therapy (Wesely, Neustadter, and Levine), 683
 function (Vokaer), 226 (B. rev.)
 and woman after menopause (Randall), 1000
 malignancy, primary, results of treatment (Henderson and Bean), 657
 stromal hyperplasia, relation to endometrial carcinoma (Roddick and Greene), 843

Ovaries, congenital absence (Catel), 923 (Abst.)

Ovary, carcinoma, primary (Davis, Latour, and Philpott), 1368 (Abst.)
 hilus-cell tumor of (Berkheiser), 429
 malignant arrenoblastoma (Nelson, Calderwood, and Cohen), 1115
 masculinizing tumor, adrenal cortical type (Cagan and Wolff), 885
 polycystic, syndrome (Keettel, Bradbury, and Stoddard), 954
 pseudomucinous cystadenocarcinoma, in 19-year-old patient (Drewes, Solome, and Preacher), 1112

Ovulation, human, and fertility (Farris), 456 (B. rev.)
 induction, by gonadotrophin therapy (Igarashi and Matsumoto), 1294

Ovum in infertility, abortion, and developmental anomaly (Shettles), 1158 (Abst.)

Oxygen saturation studies of newborn infants (Shields and Taylor), 1011
 studies of cord blood of cesarean-born infants (Henderson, Mosher, and Bittrich), 664

Oxytocic activity in blood from internal jugular vein (Bisset, Lee, and Bromwich), 1365 (Abst.)

Oxytocics, postpartum, comparative clinical evaluation (Friedman), 1306

Oxytocin, newer knowledge and present clinical usage (Douglas, Kramer, and Bonsnes), 1206

P

PAH/Diodrast ratio according to age (Stoloff, Watkin and Shock), 1364 (Abst.)

Papain and bromelain, action on uterus (Hunter, Henry, and Heinicke), 867
 (Hunter, Henry, and Civin), 875

Papanicolaou routine and Draghi tampon cytologic studies in atypical hyperplasia of cervix and uterine cancer (Scott, Brown, and Reagan), 349

Paper electrophoresis, serum proteins fractionated by, in normal nonpregnant, normal pregnant, and toxemic women (Bronsema), 457 (B. rev.)

Papryaceous fetus, in case of triplets (Roos, Roter, and Molina), 1342

Paramesonephric structures of broad ligament (Gardner, Greene, and Peckham), 537

Paraplegic patient, vaginal delivery in (Mulla), 1346

Parturition, effects on urethrovesicopubic relationships in female (Hodgkinson), 518

Pathology reports, gynecological and obstetrical, accuracy in small hospital (Stone), 1299

Pediatric dermatology, practical (Leider), 1152 (B. rev.)
 medical emergencies, handbook (De Sanctis and Varga), 920 (B. rev.)

Pelvic cancer, exenteration operations in treatment (Douglas and Sweeney), 1169
 etiology, limb edema of, in women (Valenti), 380
 infections, cortisone and specific antibiotics for (Hurtig), 1183
 inflammatory disease, surgical bleeding tendencies of patients with (Kanter and Zummo), 1100
 malignancy, evaluation of supervoltage irradiation therapy in treatment (Hahn), 626

pain of long duration, reproductive performance of women with: observations on associated psychopathology (Frank and Gordon) 1157 (Abst.)
 surgery after abdomino-pelvic partition (Bompard and Michel-Béchet), 226 (B. rev.)
 for benign disease, intestinal obstruction following (Boynton and Bonsnes), 149
 radical, ureteral injuries in, experimental study (Masterson), 359
 vaginal abdominal approach in (Atlee and Tupper), 141

tumor produced by urinary tract anomaly (Bobrow and Friedman), 1355

venography, evaluation of limb edema by (Valenti), 380

Pelvimeter (Thoms), 921 (B. rev.)
 routine, technique with single x-ray film (Thoms and Billings), 924 (Abst.)

Perinatal infection (Smith, Jennison, and Langley), 1365 (Abst.)
 mortality of cesarean section (Gordon), 65
 of mature and postmature babies (Tucker and Benaron), 1316

Perinatal mortality—Cont'd
in 1,000 midforceps operations (Cosgrove and Weaver), 559

Perineum, endometriosis (Prince and Abrams), 890
needle fragment lost in, during episiotomy repair, removal (Lamm), 217

Peritoneal cavity, autotransfusion with blood from, in ectopic pregnancy (Rainer and Szuka), 928 (Abst.)

pregnancy, early primary (Martini), 1139
primary (Scadron), 686

"Phlebedema" (venous edema) of limb (Valenti), 380

Phlebothrombosis during pregnancy, anticoagulant treatment (Blum), 440

Phosphamidase in squamous epithelium of cervix (Gross and Danziger), 112

Phosphatase, acid, in squamous epithelium of cervix (Gross and Danziger), 104, 107, 109
alkaline, in squamous epithelium of cervix (Gross and Danziger), 111

Pitocin—1955 (Hellman, Kohl, and Schechter), 507
and midforceps operation (Cosgrove and Weaver), 562

Pituitary factors, influence on menopausal vasomotor instability (Hellbaum, Eskridge, and Payne), 460 (Abst.)

insufficiency, postpartum, clinical picture (Florian and Wuertuerle), 927 (Abst.)

posterior, hormones, chemistry and physiology (Douglas, Kramer, and Bonsnes), 1209

Placenta, histological changes in spontaneous abortion (Tupper et al.), 319
human, histidine transfer across (Page et al.), 589
only out of sight (Randall), 931
premature separation, fetal salvage in (Waddington), 816

Placental pathology, ratio of weight to length associated with (Tucker and Benaron), 1317
transfer of ingested chlortetracycline (Elliott and Whitehill), 1368 (Abst.)

Pneumogynecography (Marchesi et al.), 224 (B. rev.)

Polycystic ovary syndrome (Keettel, Bradbury, and Stoddard), 954

Polyhydramnios, uterine contractility in (Caldeyro-Barcia, Pose, and Alvarez), 1238

Porphyrins in relation to cancer (Hiller), 377

Postabortal sepsis due to *Clostridium welchii* simulating traumatic perforation of uterus (French), 1094

Postmature baby (Tucker and Benaron), 1314

Postmaturity (Randall), 933
influence on fetal electrocardiogram (Southern), 239

Postmortem cesarean section (Sullivan), 693 (Correspondence)
(Well and Gruber), 754
reply (Winston and Kelly), 693 (Correspondence)

delivery (Well and Gruber), 754

Postpartum hemorrhage, delayed (Heath), 1071
hysterectomy (Folger), 1037

oxytocics, comparative clinical evaluation (Friedman), 1306

pituitary insufficiency, clinical picture (Florian and Wuertuerle), 927 (Abst.)

psychopathological reactions (Zilboorg), 305

Potassium studies in toxemia of pregnancy treated with mercurial diuretics (Smith, Hendrick, and Miller), 784
in treatment of ileus (Boynton and Bonsnes), 153

Pre-eclampsia, effect of Benemid on uric acid excretion in (Hayashi), 17

edema, treatment with acetazolamide (Diamox) (Dieckmann, Harrod, and Monardo), 789

Pre-eclampsia-eclampsia, mercurial diuretics in (Smith, Hendrick, and Miller), 784
renal lesion in (Dieckmann, Potter, and McCartney), 1

Pregnancies, multiple, interlocking and collision (Swann), 907

Pregnancy, abdominal (peritoneal), early primary (Martini), 1139
subsequent to total hysterectomy (Adams and Schreier), 680

aborted, changes in chorionic tissue (Huber, Melin, and Vellios), 569

acromegaly and (Greenblatt, Vazquez, and McLendon), 1158 (Abst.)

aneurysms complicated by (Pedowitz and Perell), 720, 736

associated with severe angular deformities of spine (deCarle), 296

atrial paroxysmal tachycardia in (Massey), 894

carcinoma of cervix detected by vaginal smear during (Malinconico), 75
of rectum complicating (Marcus, Cibley, and Brandt), 1337

carpal tunnel syndrome in (Wallace and Cook), 1333

cerebrovascular complications (Pedowitz and Perell), 736

cervical (Goldfine and Mazzanti), 450
(Schneider and Dreizin), 1364 (Abst.)

C-reactive protein test in (Tyler and Roess), 837

ectopic, atypical cellular changes in endometrial glands associated with (Pildes and Wheeler), 79

autotransfusion with blood from peritoneal cavity in (Rainer and Szuka), 928 (Abst.)

laboratory examinations in diagnosis (Schueler), 928 (Abst.)

preservation of fertility by conservative surgery for (Tompkins), 1157 (Abst.)

endometriosis of vulva during (Nussbaum and Motyloff), 215

histologic changes in uterine cervix during, and diagnosis of carcinoma in situ (Campos and Soihet), 463 (Abst.)

hyperlipemia, follow-up report on patient with (Russ and Barr), 1161 (Correspondence)

hysterectomy in (Folger), 1035

inguinal swelling during (Hodgkinson and Kroll), 966

intramural (Bazin and Compton), 1141

kyphoscoliosis and (Dugan and Black), 89

and labor, lactic acid metabolism in (Hendricks), 492

late, estrogen levels in (Preedy and Aitken), 1367 (Abst.)

intravenous iron as alternative to blood transfusion in (Sortor), 338

transfer of radiosodium to fetus in (Clayton, Farmer, and Johnson), 925 (Abst.)

maternal emotions toward (Newton), 223 (B. rev.)

myomectomy in (Mayer), 1370 (Abst.)

normal, blood coagulation during (Kennan and Bell), 57
effect of Benemid on uric acid excretion in (Hayashi), 17

and toxemic, serum proteins in (Bronsma), 457 (B. rev.)

uric acid and endogenous creatinine clearances after (Hayashi), 23

peritoneal, primary (Scadron), 686

phlebothrombosis during, anticoagulant treatment (Blum), 440

prolapse of cervix in (Conant, Winchester, and Silverman), 914
of uterus associated with (Mufarrij and Keettel), 899

rupture of spleen in (Hunter and Shoemaker), 1326

sarcoma of vulva complicating (Nolan), 134

sickle-cell crisis in (Beattie and Henry), 904

stress fracture of ribs in (Savage), 462 (Abst.)

Pregnancy—Cont'd
 toxemia, articles on, 1-42, 777-804
 influence on fetal electrocardiogram (Southern), 238
 maternal mortality due to (Krupp), 250
 mercurial diuretics in (Smith, Hendrick, and Miller), 784
 renal biopsies in (Dieckmann, Potter, and McCartney), 1
 toxemias or encymonic atelositeses (Theobald), 227 (B. rev.)
 hypertonic saline infusions for differential diagnosis (Willson, Williams, and Hayashi), 30
 triplet, including anomalous twins and fetus compressus (Roos, Rotter, and Molina), 1342
 tubal, bilateral, coexistent (Ross and Desbordes), 1134
 tuberculosis and, in relation to pulmonary resection (Klees), 1371 (Abst.)
 twin, hydatidiform mole in (Logan), 911
 monoamniotic (Walters and Whitehead), 1129
 toxemia in (Bulfin and Lawler), 37
 uterine blood flow during exercise in (Morris et al.), 1364 (Abst.)
 vaginal smears in (Malinconico), 75
 vascular reactivity and electrolytes in (Raab et al.), 925 (Abst.)
 Premarin, use in suppression of lactation (Primrose and Tremblay), 1218
 Premarital consultation (Stone and Levine), 1363 (B. rev.)
 counseling (Muller), 941
 Premature delivery, prevention (Stephens), 694 (Correspondence)
 uterine contractility, circulation, and urinary steroids in (Bruns et al.), 579
 Prematurity, factor in neonatal mortality (Webster), 262
 incidence, cigarette smoking and (Simpson), 808
 Prenatal fetal electrocardiogram, fetal anoxia and relation to changes in (Southern), 233
 Presidential address, American Association of Obstetricians and Gynecologists (Randall), 465
 Society of Obstetricians and Gynaecologists of Canada (Simard), 1163
 Pressor effects of postpartum oxytocics (Friedman), 1310
 Progesterone (H.P.C.), use in habitual abortion (Masters, Maze, and Gilpatrick), 1030
 Prognostic significance of glandular involvement in cold knife conization biopsies in carcinoma *in situ* of cervix (Baker and Hawks), 1266
 Prolapse of cervix in pregnancy (Conant, Winchester, and Silverman), 914
 of umbilical cord (Dilworth and Ward), 1088
 of uterus associated with pregnancy (Mufarrij and Keettel), 899
 Protamine sulfate, use in uterine bleeding (Scholz), 1160 (Abst.)
 titer in functional metrorrhagia and treatment with toluidine blue (Foix, Coll, and Iparraguirre), 923 (Abst.)
 Protein, C-reactive, in pregnancy (Tyler and Roess), 837
 Proteins, serum, fractionated by paper electrophoresis in normal nonpregnant, normal pregnant, and toxemic women (Bronsema), 457 (B. rev.)
 Proteolytic enzymes, papain and bromelain (Hunter, Henry, and Heinicke), 867
 Pruritus vulvae, possibility of treating by surgery (Kremling), 1159 (Abst.)
 Psyche, effect of oophorectomy on (Randall), 1004
 Psychiatric factors in gynecology (Sturgis), 180
 Psychopathological reactions, postpartum (Zilboorg), 305
 Psychopathology, associated with pelvic pain of long duration (Frank and Gordon), 1157 (Abst.)
 Psychoprophylactic preparation for childbirth (de Watteville), 475
 Psychosomatic gynecology (Israel), 865
 and interpersonal aspects of habitual abortion (Weil and Stewart), 322
 Puerperal infection, maternal mortality due to (Krupp), 251
 relation to habitual abortion (Masters, Maze, and Gilpatrick), 1028
 Puerperium, blood and cerebrospinal fluid levels following chloral hydrate administration during (Bernstine, Meyer, and Bernstine), 801
 coagulation during (Kennan and Bell), 57

R

Radiation, supervoltage, in treatment of pelvic malignancy (Hahn), 626
 therapy with pendulum source, results in gynecologic practice (Kirchhoff and Kepp), 1155 (Abst.)
 Radical pelvic surgery, vaginoabdominal approach in (Atlee and Tupper), 141
 Radioactive cobalt needles, interstitial, use in treatment of carcinoma of cervix (Ezell and Holzaepfel), 354
 Radiography, contrast, using air, diagnostic technique (Marchesi et al.), 224 (B. rev.)
 Radiosensitivity of cervical carcinoma, endocrine factors related to (Medina), 924 (Abst.)
 studies of carcinoma of cervix, evaluation of basal cell in (Smith et al.), 598
 Radiosodium, transfer to fetus in late pregnancy (Clayton, Farmer, and Johnson), 925 (Abst.)
 Radium, intrauterine, for dysfunctional bleeding (Copeland, Nelson, and Payne), 615
 therapy of gynecologic carcinomas, primary mortality (Geipel), 1371 (Abst.)
 Ratemeter for fetal heart (Corner and Stran), 190
 Rectal injuries during vaginal delivery (Graber and O'Rourke), 301
 Rectum, carcinoma, complicating pregnancy (Marcus, Cibley, and Brandt), 1337
 Renal aneurysms and pregnancy (Pedowitz and Perell), 725
 biopsies from patients with toxemia of pregnancy (Dieckmann, Potter, and McCartney), 1
 clearances of uric acid and endogenous creatinine after normal and toxemic pregnancy (Hayashi), 23
 failure, acute, in pregnancy, causes (Reid), 704
 Reproductive performance of women with pelvic pain of long duration: observations on associated psychopathology (Frank and Gordon), 1157 (Abst.)
 wastage (Henry), 1233
 Reserpine as antihypertensive in outpatient clinic (Bello and Turner), 922 (Abst.)
 in severe hypertension (Platt and Sears), 461 (Abst.)
 Rete ovarii in normal broad ligament (Gardner, Greene, and Peckham), 541
 Rh factor, hormone therapy and (Cannell, Van Wyck, and Gillies), 1187
 Ribonucleic acid in squamous epithelium of cervix (Gross and Danziger), 100, 102, 103
 Ribs, stress fracture in pregnancy (Savage), 462 (Abst.)
 Roentgen signs in clinical diagnosis (Meschan), 1363 (B. rev.)
 Roster of American obstetrical and gynecological societies, 229

S

Saline, hypertonic, infusions for differential diagnosis of toxemias of pregnancy (Willson, Williams, and Hayashi), 30

Salpingography, oil, carbon dioxide insufflation versus, therapeutic value (Weir, Weir, and Littell), 412

Salt test for differential diagnosis of toxemias of pregnancy, evaluation (Willson, Williams, and Hayashi), 30

Sarcoma of broad ligament, transitional myogenic tumors and (Frachtmann), 371

and sarcoma-like proliferations of endometrial stroma (Symmonds, Dockerty, and Pratt), 1054

of vulva in pregnancy (Nolan), 134

Secundines, retained, "membrane mitt" for removal (Posner), 453

Sepsis, cause of shock (Reid), 711

postabortal, due to *Clostridium welchii*, simulating traumatic perforation of uterus (French), 1094

Septum, vaginal, cause of dystocia (Caliguri), 1132

Serological evaluation of treatment of malignancies (Kahn et al.), 855

Serum albumin fractions of differential solubility, relation to cancer (Kahn et al.), 853

Sex, diagnosis before birth (Dewhurst), 462 (Abst.)

differentiation by leukocyte morphology (Briggs and Kupperman), 924 (Abst.)

female nuclear, male hypogonadism with (Jackson et al.), 926 (Abst.)

hormone excretion after bilateral adrenalectomy and oophorectomy in patients with mammary carcinoma (Strong et al.), 926 (Abst.)

Sexual responsibility of woman (Davis), 457 (B. rev.)

Shock in obstetrics, 697

Sickle-cell crisis in pregnancy near term (Beattie and Henry), 904

disease, maternal mortality due to (Krupp), 258

phenomenon, cerebral hemorrhage as manifestation of (Fadell and Crone), 212

Silver nitrate prophylaxis for gonococcal ophthalmia neonatorum, failure (Pearson), 805

Smears, vaginal, in pregnancy (Malinconico), 75

Smoking, cigarette, and incidence of prematurity (Simpson), 808

Society of Obstetricians and Gynaecologists of Canada, transactions of twelfth annual meeting, 1163

Sodium and chloride, distribution in human uteri (Daniel and Boyes), 398

studies in toxemia of pregnancy treated with mercurial diuretics (Smith, Hendrick, and Miller), 784

Sphincter mechanism at uterine isthmus (Youssef), 760

Sphygmomanometer, recording (Stran and Corner), 196

Spine, angular deformities, pregnancy associated with (deCarle), 296

Spleen, rupture in pregnancy (Hunter and Shoemaker), 1326

Splenic aneurysms and pregnancy (Pedowitz and Perell), 724

Squamous epithelium, benign and malignant, of cervix uteri, histochemical techniques applied to (Gross and Danziger), 94

Squamous-cell carcinoma, intraepithelial, of cervix (Rawson and Knoblich), 120

Stein-Leventhal syndrome, association with endometrial carcinoma (Jackson and Dockerty), 161

Sterility, plastic operations on Fallopian tubes for (Hartl and Langer), 1156 (Abst.)

Sterilization, permanent (Folger), 1037

Steroids, urinary, in premature delivery (Bruns et al.), 579

Stress incontinence in female, diagnosis and treatment (Janssens), 227 (B. rev.)

Stromal endometriosis (Symmonds, Dockerty, and Pratt), 1054

hyperplasia (Symmonds, Dockerty, and Pratt), 1054

Stromatosis (Symmonds, Dockerty, and Pratt), 1054

Subarachnoid hemorrhage, complication of pregnancy (Pedowitz and Perell), 736

Submucous myoma in normal-sized uterus (Zeigerman, Valdes-Dapena, and Fettig), 1286

Surgery, abdominal, Novocain as relaxant in (Grafton), 1225

for carcinoma of vulva (Collins, Burman, and Mathews), 923 (Abst.)

pelvic, after abdominopelvic separation (Bompart and Michel-Béchet), 226 (B. rev.)

for benign disease, intestinal obstruction following (Boynton and Bonsnes), 1149

radical, ureteral injuries in, experimental study (Masterson), 359

vaginabdominal approach in (Atlee and Tupper), 141

Surgical bleeding tendencies of patients with chronic pelvic inflammatory disease (Kanter and Zummo), 1100

Survival rate after pelvic exenterations (Douglas and Sweeney), 1174

T

TACE, use in suppression of lactation (Primrose and Tremblay), 1218

Tachycardia, atrial paroxysmal, in pregnancy (Massey), 894

Tampon, Draghi, cytologic studies, comparison with routine Papanicolaou studies in atypical hyperplasia of cervix and uterine cancer (Scott, Brown, and Reagan), 349

Temperature, basal, diagnostic value in gynecology and obstetrics (Döring), 1367 (Abst.)

Thecoma, malignant (Berkheiser), 434

Therapeutic value of carbon dioxide insufflation versus oil salpingography (Weir, Weir, and Littell), 412

Thromboembolic phenomena, sequelae (Thomaschek), 1160 (Abst.)

Thrombophlebitis, transfusion, hydrocortisone in prevention (Polak), 463 (Abst.)

Thrombosis, fibrin, amniotic fluid embolism, afibrinogenemia and, case (Tuller), 273

Thyroid, fundamental and clinical text (Werner), 224 (B. rev.)

Thyroxine, effect of diethylstilbestrol on binding in serum (Dowling, Freinkel, and Ingbar), 1158 (Abst.)

Tocograph, new external (Suda), 328

Tokodynamometry, external, evaluation of contractile activity in lower uterine segment in labor by (Sher and Southern), 822

Toluidine blue, abnormal uterine bleeding treated with (Rumbolz and Greene), 992

treatment of metrorrhagia with (Foix, Coll, and Iparraguirre), 923 (Abst.)

use in uterine bleeding (Scholz), 1160 (Abst.)

Toxemia of pregnancy, articles on, 1-42, 777-804

influence on fetal electrocardiogram (Southern), 238

maternal mortality due to (Krupp), 250

mercurial diuretics in (Smith, Hendrick, and Miller), 784

renal biopsies in (Dieckmann, Potter, and McCartney), 1

Toxemia of pregnancy—Cont'd
 serum proteins in patients with (Bronsema), 457 (B. rev.)
 uric acid and endogenous creatinine clearances after (Hayashi), 23
 in twin pregnancies, problems (Bulfin and Lawler), 37

Toxemias of pregnancy, or encymonic atelosites (Theobald), 227 (B. rev.)
 hypertonic saline infusions for differential diagnosis (Willson, Williams, and Hayashi), 30

Toxemic pregnancy, vascular reactivity and electrolytes in normal and (Raab et al.), 925 (Abst.)

Toxoplasmosis and Mongolian idiocy (Kleine), 1369 (Abst.)

Transactions of American Association of Obstetricians and Gynecologists, sixty-seventh annual meeting, 465

Central Association of Obstetricians and Gynecologists, twenty-fourth annual meeting, 931

Society of Obstetricians and Gynaecologists of Canada, twelfth annual meeting, 1163

Transfusion, blood, intravenous iron as alternative in late pregnancy (Sorotor), 338

thrombophlebitis, hydrocortisone in prevention of (Polak), 463 (Abst.)

Trauma, cause of shock (Reid), 704
 preceding perineal endometriosis (Prince and Abrams), 890

Trichomoniasis, prevalence (Gardner, Dampier, and Dukes), 1080
 resistant, in female (Riba), 174

Triplets, including anomalous twins and fetus compressus (Roos, Roter, and Molina), 1342
 locking (Swann), 908

Tubal function and disease (National Society for Study of Sterility and Fertility), 460 (B. rev.)
 implantation for cornual block (Ostry), 409
 pregnancy, bilateral, coexistent (Ross and Desbordes), 1134

Tuberculosis of genital tract, bacteriologic study of menstrual blood in (Hahn), 1372 (Abst.)
 isolated, does it exist? (Kreiblich), 1372 (Abst.)
 in obstetrics and gynecology (Schaefer), 226
 and pregnancy in relation to pulmonary resection (Klees), 1371 (Abst.)
 of uterus and adnexa (Bret and Legros), 1152 (B. rev.)

Tumor, adrenal, androgen-producing, uterine hypertrophy in presence of (Quint, Parker, and Hamblen), 206
 comment (Wilson), 930 (Correspondence)

hilus-cell, of ovary (Berkheiser), 429
 of ovary, masculinizing, adrenal cortical type (Cagan and Wolff), 885
 pelvic, produced by urinary tract anomaly (Bobrow and Friedman), 1355

Tumors of broad ligament (Gardner, Greene, and Peckham), 536
 malignant, 94-140, 843-860
 multiple primary, involving female genital tract (Brown, Latour, and Dodds), 127
 transitional myogenic, and sarcoma of broad ligament (Frachtman), 371

Tunnel, carpal, syndrome in pregnancy (Wallace and Cook), 1333

Twin pregnancies, toxemia in (Bulfin and Lawler), 37
 pregnancy, hydatidiform mole in (Logan), 917
 monoamniotic (Walters and Whitehead), 1129

Twins, anomalous, and fetus compressus, case of triplets including (Roos, Roter, and Molina), 1342
 collision (Swann), 907
 monoamniotic, with double survival (Craig), 202

U

Umbilical cord, prolapse (Dilworth and Ward), 1088

Ureteral injuries in radical pelvic surgery, experimental study (Masterson), 359

Ureterovaginal fistulas following radical pelvic surgery (Masterson), 359

Urethrovesicopubic relationships in the female (Hodgkinson), 518

Uric acid and endogenous creatinine clearance after normal and toxemic pregnancy (Hayashi), 23
 excretion, effect of Benemid on, in normal pregnancy and in pre-eclampsia (Hayashi), 17

Urinary steroids in premature delivery (Bruns et al.), 579
 stress incontinence, anatomical changes (Hodgkinson), 525

tract anomaly, pelvic tumor produced by (Bobrow and Friedman), 1355

Urology, clinical, volumes I and II (Lowsley and Kirwin), 458 (B. rev.)

Uterine atony, cause of shock (Reid), 704
 bleeding, abnormal, treated with toluidine blue (Rumboltz and Greene), 992
 dysfunctional (Wall and Jacobs), 985
 use of protamine sulfate and toluidine blue in (Scholz), 1160 (Abst.)

blood flow during exercise in pregnancy (Morris et al.), 1364 (Abst.)

cancer, blood tests to determine cure (Dieckmann), 917 (Editorial)
 routine Papanicolaou and Drigh tampon cytologic studies in (Scott, Brown, and Reagan), 349

cervix, histologic changes during pregnancy and diagnosis of carcinoma in situ (Campos and Soihet), 463 (Abst.)

circulation in premature delivery (Bruns et al.), 579

contractility, circulation, and urinary steroids in premature delivery (Bruns et al.), 579
 in polyhydramnios (Caldeyro-Barcia, Pose, and Alvarez), 1238

dysfunction treated with Pitocin (Hellman, Kohl, and Schechter), 511

hemorrhage and afibrinogenemia (Duchaine), 1195

hypertrophy in presence of androgen-producing adrenal tumor (Quint, Parker, and Hamblen), 206
 comment (Wilson), 930 (Correspondence)

isthmus, sphincter mechanism (Youssef), 760

suspension, effects on urethrovesicopubic relationships in female (Hodgkinson), 518

Utero, fetal death in, with hypofibrinogenemia (Jennison and Walker), 925 (Abst.)

Uterus, accidental perforation during curettage, endometriosis following (Kimball and Reeves), 422
 didelphic, in habitual abortion (Masters, Maze, and Gilpatrick), 1029
 electrolytes of, and possible relation to functional activity (Daniel and Boyes), 395
 in labor, physiology (Mulla), 1346
 lipomas of (Chachutow and Brill), 1358
 lower segment, contractile activity in labor (Sher and Southern), 822

myoma, as hereditary disease (Wear), 1366 (Abst.)

normal-sized, submucous myoma in (Zeigerman, Valdes-Dapena, and Fettig), 1286

prolapse associated with pregnancy (Mufarrij and Keettel), 899

traumatic perforation, postabortal sepsis due to *Clostridium welchii* simulating (French), 1094

tuberculosis (Bret and Legros), 1152 (B. rev.)

V

Vagina, atresia of lower third, with concealed hematocolpos (Roitman and Israel), 881
 cyst at apex, after total hysterectomy (Perl and Milles), 1127
 Vaginal delivery in paraplegic patient (Mulla), 1346
 rectal injuries during (Graber and O'Rourke), 301
 lesions of adenomatous origin (Studdiford), 641
 septum, cause of dystocia (Caliguiri), 1132
 smears, positive, significance in extrauterine carcinomas (Song), 341
 in pregnancy (Malinconico), 75
 Vaginas, artificial, results after construction (Barrows), 609
 Vaginitis, prevalence (Gardner, Dampeer, and Dukes), 1080
 Vaginoabdominal approach in radical pelvic surgery (Atlee and Tupper), 141
 Vascular reactivity and electrolytes in normal and toxemic pregnancy (Raab et al.), 925 (Abst.)
 Vasomotor instability, menopausal, influence of pituitary factors on (Hellbaum, Eskridge, and Payne), 460 (Abst.)
 Vasopressin, chemical structure (Douglas, Kramer, and Bonsnes), 1209
 Veins, dilated of inguinal canal in pregnancy (Hodgkinson and Kroll), 968

Venography, pelvic, evaluation of limb edema by (Valenti), 380
 Ventricular fibrillation during massive blood replacement (Howland, Boyan, and Schweiger), 1154 (Abst.)
 Vesicouterine fistula following lower segment cesarean section (Youssef), 759
 Visions and revisions (Israel), 861
 Vitamin deficiencies, relation to spontaneous abortion (Tupper et al.), 315
 Vomiting, postpartum, side action of oxytocics (Friedman), 1309
 Vulva, carcinoma (Isaacs and Topek), 1277
 surgery for (Collins, Burman, and Mathews), 923 (Abst.)
 endometriosis of, during pregnancy (Nussbaum and Motyloff), 215
 sarcoma, in pregnancy (Nolan), 134

W

Weight, infant, effect of postmaturity on (Tucker and Benaron), 1318
 Williams obstetrics (Eastman), 919 (B. rev.)
 Wolffian structures of broad ligament (Gardner, Greene, and Peckham), 537

X

X-ray investigations of cervix, uterus, and tubes, use of papain and bromelain in (Hunter, Henry, and Heinicke), 870

